

Support of MS-to-MS Communications Through RS

IEEE 802.16 Presentation Submission Template (Rev. 8.3)

Document Number:

C80216j-06_055.pdf

Date Submitted:

2006-07-03

Source:

Peng-Yong Kong, Haiguang Wang, Yu Ge, Chen-Khong Tham

Institute for Infocomm Research

21 Heng Mui Keng Terrace, 119613 Singapore

Voice: +65-6874.8530

Fax: +65-6776.8109

E-mail: kongpy@i2r.a-star.edu.sg

Venue:

IEEE 802.16 Session #44, San Diego, USA.

Base Document:

None.

Purpose:

Propose to make it a technical requirement in IEEE 802.16j to support MS-RS-MS communications.

Propose not to prohibit MS-RS-MS but make judgment based on submitted technical solutions if efficient MS-RS-MS communications can be supported.

Notice:

This document has been prepared to assist IEEE 802.16. It is offered as a basis for discussion and is not binding on the contributing individual(s) or organization(s). The material in this document is subject to change in form and content after further study. The contributor(s) reserve(s) the right to add, amend or withdraw material contained herein.


Release:

The contributor grants a free, irrevocable license to the IEEE to incorporate material contained in this contribution, and any modifications thereof, in the creation of an IEEE Standards publication; to copyright in the IEEE's name any IEEE Standards publication even though it may include portions of this contribution; and at the IEEE's sole discretion to permit others to reproduce in whole or in part the resulting IEEE Standards publication. The contributor also acknowledges and accepts that this contribution may be made public by IEEE 802.16.


IEEE 802.16 Patent Policy:

The contributor is familiar with the IEEE 802.16 Patent Policy and Procedures <<http://iee802.org/16/ipr/patents/policy.html>>, including the statement "IEEE standards may include the known use of patent(s), including patent applications, provided the IEEE receives assurance from the patent holder or applicant with respect to patents essential for compliance with both mandatory and optional portions of the standard." Early disclosure to the Working Group of patent information that might be relevant to the standard is essential to reduce the possibility for delays in the development process and increase the likelihood that the draft publication will be approved for publication. Please notify the Chair <<mailto:chair@wirelessman.org>> as early as possible, in written or electronic form, if patented technology (or technology under patent application) might be incorporated into a draft standard being developed within the IEEE 802.16 Working Group. The Chair will disclose this notification via the IEEE 802.16 web site <<http://iee802.org/16/ipr/patents/notices>>.

Without MS-RS-MS



With MS-RS-MS



- Propose to make it a technical requirement in IEEE 802.16j to support MS-RS-MS communications.

With and without MS-RS-MS Communications

- With MS-RS-MS, data traffic can be delivered faster and consumes less radio resources.
- Without MS-RS-MS, communications in the downstream nodes are highly dependent on the channel condition of upstream nodes. For example, when a RS that is closer to the BS breaks down, all the nodes that are further away from the BS cannot communicate despite their good channel conditions. This is similar to the problem of *single-point-failure* and thus, is less opportunistic by nature.
- MS-RS-MS is useful to both military and civilian scenarios.

Does MS-RS-MS violate 16j PAR?

- From the PAR, “This document specifies OFDMA physical layer and medium access control layer enhancements to IEEE Std 802.16 for licensed bands to enable the operation of relay stations. Subscriber station specifications are not changed.”
- Interpretation: So long there is a practical solution to enable MS-RS-MS without change to SS specification, then there is not PAR violation.

Concern about differentiation from 802.16-2004 Mesh

- 802.16-2004 Mesh is clearly different from 802.16j with or without MS-RS-MS.
- The fundamental difference is that 802.16-2004 is a multihop solution not compatible to 802.16e but 802.16j will be a multihop solution that is compatible to 802.16e.
- Propose not to prohibit MS-RS-MS but make judgment based on submitted technical solutions if efficient MS-RS-MS communications can be supported.