

Project	IEEE 802.16 Broadband Wireless Access Working Group < http://ieee802.org/16 >	
Title	Changes to OFDM Rates as a Result of Resolution of Comment 263	
Date Submitted	2004-04-28	
Source(s)	David A Castelow, Jeremy Cohen Airspan Communications, Cambridge House, Oxford Road, Uxbridge, UK	Voice: +44 1895 467281 Fax: +44 1895 467202 mailto:dcastelow@airspan.com
Re:	Supporting document for Sponsor Ballot Recirculation	
Abstract	Additional changes to the standard are required as a result of the Resolution of Comment 263	
Purpose	The document is intended for consideration within comments resolution process.	
Notice	This document has been prepared to assist IEEE 802.16. It is offered as a basis for discussion and is not binding on the contributing individual(s) or organization(s). The material in this document is subject to change in form and content after further study. The contributor(s) reserve(s) the right to add, amend or withdraw material contained herein.	
Release	The contributor grants a free, irrevocable license to the IEEE to incorporate material contained in this contribution, and any modifications thereof, in the creation of an IEEE Standards publication; to copyright in the IEEE's name any IEEE Standards publication even though it may include portions of this contribution; and at the IEEE's sole discretion to permit others to reproduce in whole or in part the resulting IEEE Standards publication. The contributor also acknowledges and accepts that this contribution may be made public by IEEE 802.16.	
Patent Policy and Procedures	The contributor is familiar with the IEEE 802.16 Patent Policy and Procedures < http://ieee802.org/16/ipr/patents/policy.html >, including the statement "IEEE standards may include the known use of patent(s), including patent applications, provided the IEEE receives assurance from the patent holder or applicant with respect to patents essential for compliance with both mandatory and optional portions of the standard." Early disclosure to the Working Group of patent information that might be relevant to the standard is essential to reduce the possibility for delays in the development process and increase the likelihood that the draft publication will be approved for publication. Please notify the Chair < mailto:chair@wirelessman.org > as early as possible, in written or electronic form, if patented technology (or technology under patent application) might be incorporated into a draft standard being developed within the IEEE 802.16 Working Group. The Chair will disclose this notification via the IEEE 802.16 web site < http://ieee802.org/16/ipr/patents/notices >.	

Changes to OFDM Rates as a Result of Resolution of Comment 263

David Castelow, Jeremy Cohen

Airspan

28th April 2004

References

1. IEEE, "Draft IEEE Standard for Local and metropolitan area networks Part 16: Air Interface for Fixed Broadband Wireless Access Systems," IEEE P802.16-REVd/D4-2004.
2. IEEE P802.16 Commentary Database 80216-04/11r5, http://ieee802.org/16/docs/04/80216-04_11r5.zip

Introduction

The resolution of Comment 263 [2] (Bogdan Franovici) was to:

Replace on p. 404, lines 15-20 (on the right) with:

$n=1.44/1.25$ for channel bandwidths multiple of 1.25 MHz

$n=1.72/1.5$ for channel bandwidths multiple of 1.5 MHz

$n=8/7$ for channel bandwidths multiple of 1.75 MHz

$n=3.16/2.75$ for channel bandwidths multiple of 2.75 MHz

$n=8/7$ for channel bandwidths not otherwise specified

Precision and Grammar

The first observation is that the fractions should be specified as rational fractions as decimals could be interpreted imprecisely, and the English could be slightly clearer. Updating references to D4 [1] then the comment might read:

Replace on p. 402, lines 13-22 (on the right) with:

$n=144/125$ for channel bandwidths that are a multiple of 1.25 MHz

$n=86/75$ for channel bandwidths that are a multiple of 1.5 MHz

$n=8/7$ for channel bandwidths that are a multiple of 1.75 MHz

$n=316/275$ for channel bandwidths that are a multiple of 2.75 MHz

$n=8/7$ for channel bandwidths not otherwise specified.

Missing Families

While it seems unlikely that the standard be widely deployed with all the options available, the current wording allows any bandwidth above 1.25 MHz in 0.25 MHz steps. Therefore there are families of bandwidths not covered by the current wording.

One family of bandwidths that is not included in the above is 2, 4, 8, 16 MHz.

The intention was that within families of bandwidths that were simple powers of 2 of each other, the value of F_s changed by the same power of 2. However, inclusion of the 2 MHz family shows the need for a precedent rule.

Precedence Rule

The third observation is that the precedence of these options is not specified, and as a result there is ambiguity in the standard.

For example, a bandwidth of 7.5 MHz may be selected using either the first or the second of the rules in [1].

A precedence rule is required. It would be straightforward to use the following text, which I propose as the resolution to this issue. This change is a slight re-ordering to that proposed in Revision 0 of this document, promoting some bandwidth families, and in particular reducing the “dominance” of the 1.25 MHz and 2.0 MHz cases.

Change 1

Replace on p. 402, lines 13-22 (on the right) with:

For channel bandwidths that are a multiple of 1.75 MHz then $n=8/7$

else for channel bandwidths that are a multiple of 1.5 MHz then $n=86/75$

else for channel bandwidths that are a multiple of 1.25 MHz then $n=144/125$

else for channel bandwidths that are a multiple of 2.75 MHz then $n=316/275$

else for channel bandwidths that are a multiple of 2.0 MHz then $n=57/50$

else for channel bandwidths not otherwise specified then $n=8/7$

I have not included multiples of 2.25, because the 4.5 MHz case would already be trapped by the 1.5 MHz rule and it becomes increasingly complex to arrange all possible bandwidths within the spirit of the change of Comment 263.

Changes to Appendices

As a result of the changes to the sampling rates, the raw bit rates quoted in Table are now incorrect. Indeed there appears to be a couple of errors in that Table irrespective of the changes made by comment 263. The first error is that the fractions quoted are not always correct/exact: this is seen in the red boxes in the “original” version of Table B.28, and the figures for 7MHz in Table B.29 appear to have used $7/6$ rather than $8/7$ as the value of n .

The following change corrects the figures according to the definitions in Draft 4. They also include an additional column for BPSK as added by the resolution of comment #253.

The change in the precedence rule from Revision 0 of this document leads to a small change in Table B.26.

Change 2

Change [1], page 735, lines 1-45 from

Table B.26 - OFDM channelization parameters for licensed bands

Bandwidth (MHz)		OFDM (Nfft = 256)					
		Δf (kHz)	T_b (μs)	G			
				1/32	1/16	1/8	1/4
MMDS (n = 7/6)	1.5	6 51/61	146 2/7	4 4/7	9 1/7	18 2/7	36 4/7
	3	13 43/64	73 1/7	2 2/7	4 4/7	9 1/7	18 2/7
	6	27 11/32	36 4/7	1 1/7	2 2/7	4 4/7	9 1/7
	12	54 11/16	18 2/7	4/7	1 1/7	2 2/7	4 4/7
	24	109 3/8	9 1/7	2/7	4/7	1 1/7	2 2/7
ETSI (n = 8/7)	1.75	7 13/16	128	4	8	16	32
	3.5	15 5/8	64	2	4	8	16
	7	31 1/4	32	1	2	4	8
	14	62 1/2	16	1/2	1	2	4
	28	125	8	1/4	1/2	1	2
WCS (n = 7/6)	2.5	11 35/89	87 27/35	2 26/35	5 17/35	10 34/35	21 33/35
	5	22 70/89	43 31/35	1 13/35	2 26/35	5 17/35	10 34/35
	10	45 55/96	21 33/35	24/35	1 13/35	2 26/35	5 17/35
	15	68 23/64	14 22/35	16/35	32/35	1 29/35	3 23/35

to

Table B.26 - OFDM channelization parameters for licensed bands

Bandwidth (MHz)		OFDM (Nfft = 256)					
		Δf (kHz)	T_b (μs)	G			
				1/32	1/16	1/8	1/4
MMDS (n = 86/75)	1.5	6 23/32	148 36/43	4 28/43	9 13/43	18 26/43	37 9/43
	3	13 7/16	74 18/43	2 14/43	4 28/43	9 13/43	18 26/43
	6	26 7/8	37 9/43	1 7/43	2 14/43	4 28/43	9 13/43
	12	53 3/4	18 26/43	25/43	1 7/43	2 14/43	4 28/43
	24	107 1/2	9 13/43	25/86	25/43	1 7/43	2 14/43
ETSI (n = 8/7)	1.75	7 13/16	128	4	8	16	32
	3.5	15 5/8	64	2	4	8	16
	7	31 1/4	32	1	2	4	8
	14	62 1/2	16	1/2	1	2	4
	28	125	8	1/4	1/2	1	2
WCS (n = 144/125)	2.5	11 1/4	88 8/9	2 7/9	5 5/9	11 1/9	22 2/9
	5	22 1/2	44 4/9	1 7/18	2 7/9	5 5/9	11 1/9
	10	45	22 2/9	25/36	1 7/18	2 7/9	5 5/9
	15	67 3/16	14 38/43	20/43	40/43	1 37/43	3 31/43

Change 3

Change [1], page 737, Lines 1-38 from

Table B.28 - OFDM channelization parameters for license-exempt bands

		OFDM	
	n	8/7	
Bandwidth (MHz)	Nfft	256	
10	Δf (kHz)	44 9/14	
	Tb (μ s)	22 2/5	
	G	1/32	7/10
		1/16	1 2/5
		1/8	2 4/5
1/4		5 3/5	
20	Δf (kHz)	89 2/7	
	Tb (μ s)	11 1/5	
	G	1/32	
		1/16	7/10
		1/8	1 2/5
1/4		2 4/5	

to

Table B.28 - OFDM channelization parameters for license-exempt bands

		OFDM	
	n	144/125	
Bandwidth (MHz)	Nfft	256	
10	Δf (kHz)	45	
	Tb (μ s)	22 2/9	
	G	1/32	25/36
		1/16	1 7/18
		1/8	2 7/9
1/4		5 5/9	
20	Δf (kHz)	90	
	Tb (μ s)	11 1/9	
	G	1/32	
		1/16	25/36
		1/8	1 7/18
1/4		2 7/9	

Change 4

Change [1], page 737, Lines 40-62 from

Table B.29 - OFDM raw bitrates (Mbps)

Bandwidth (MHz)	G	QPSK 1/2	QPSK 3/4	16-QAM 1/2	16-QAM 3/4	64-QAM 2/3	64-QAM 3/4
OFDM-256 FFT							
6MHz (MMDS)	1/32	5.09	7.64	10.18	15.27	20.36	22.91
	1/16	4.94	7.41	9.88	14.82	19.76	22.24
	1/8	4.67	7.00	9.33	14.00	18.67	21.00
	1/4	4.20	6.30	8.40	12.60	16.80	18.90
7MHz (ETSI)	1/32	5.94	8.91	11.88	17.82	23.76	26.73
	1/16	5.76	8.65	11.53	17.29	23.06	25.94
	1/8	5.44	8.17	10.89	16.33	21.78	24.50
	1/4	4.90	7.35	9.80	14.70	19.60	22.05
20MHz (U-NII)	1/32						
	1/16	16.13	24.20	32.27	48.40	64.54	72.61
	1/8	15.24	22.86	30.48	45.71	60.95	68.57
	1/4	13.71	20.57	27.43	41.14	54.86	61.71

to

Table B.29 - OFDM raw bitrates (Mbps)

Bandwidth (MHz)	G	BPSK 1/2	QPSK 1/2	QPSK 3/4	16-QAM 1/2	16-QAM 3/4	64-QAM 2/3	64-QAM 3/4
OFDM-256 FFT								
6MHz (MMDS)	1/32	2.50	5.00	7.51	10.01	15.01	20.01	22.52
	1/16	2.43	4.86	7.28	9.71	14.57	19.43	21.85
	1/8	2.29	4.59	6.88	9.17	13.76	18.35	20.64
	1/4	2.06	4.13	6.19	8.26	12.38	16.51	18.58
7MHz (ETSI)	1/32	2.91	5.82	8.73	11.64	17.45	23.27	26.18
	1/16	2.82	5.65	8.47	11.29	16.94	22.59	25.41
	1/8	2.67	5.33	8.00	10.67	16.00	21.33	24.00
	1/4	2.40	4.80	7.20	9.60	14.40	19.20	21.60
20MHz (U-NII)	1/32							
	1/16	8.13	16.26	24.40	32.53	48.79	65.05	73.19
	1/8	7.68	15.36	23.04	30.72	46.08	61.44	69.12
	1/4	6.91	13.82	20.74	27.65	41.47	55.30	62.21