

Project	IEEE 802.16 Broadband Wireless Access Working Group < http://ieee802.org/16 >	
Title	Handoff SDL charts proposal	
Date Submitted	2004-03-04	
Source(s)	<p>Itzik Kitroser Yossi Segal Yigal Leiba Zion Hadad Runcom Technologies Ltd. 2 Hachoma St. 75655 Rishon Lezion, Israel</p>	<p>Voice: +972-3-9528440 Fax: +972-3-9528805 mailto:itzikk@runcom.co.il mailto:yossis@runcom.co.il mailto:yigall@runcom.co.il mailto:zionh@runcom.co.il</p>
Re:	Letter Ballot #14	
Abstract	This document presents SDL charts that describes the handoff process.	
Purpose	Integration into TGe draft.	
Notice	This document has been prepared to assist IEEE 802.16. It is offered as a basis for discussion and is not binding on the contributing individual(s) or organization(s). The material in this document is subject to change in form and content after further study. The contributor(s) reserve(s) the right to add, amend or withdraw material contained herein.	
Release	The contributor grants a free, irrevocable license to the IEEE to incorporate material contained in this contribution, and any modifications thereof, in the creation of an IEEE Standards publication; to copyright in the IEEE's name any IEEE Standards publication even though it may include portions of this contribution; and at the IEEE's sole discretion to permit others to reproduce in whole or in part the resulting IEEE Standards publication. The contributor also acknowledges and accepts that this contribution may be made public by IEEE 802.16.	
Patent Policy and Procedures	The contributor is familiar with the IEEE 802.16 Patent Policy and Procedures < http://ieee802.org/16/ipr/patents/policy.html >, including the statement "IEEE standards may include the known use of patent(s), including patent applications, provided the IEEE receives assurance from the patent holder or applicant with respect to patents essential for compliance with both mandatory and optional portions of the standard." Early disclosure to the Working Group of patent information that might be relevant to the standard is essential to reduce the possibility for delays in the development process and increase the likelihood that the draft publication will be approved for publication. Please notify the Chair < mailto:chair@wirelessman.org > as early as possible, in written or electronic form, if patented technology (or technology under patent application) might be incorporated into a draft standard being developed within the IEEE 802.16 Working Group. The Chair will disclose this notification via the IEEE 802.16 web site < http://ieee802.org/16/ipr/patents/notices >.	

Handoff SDL charts proposal

*Itzik Kitroser
Yossi Segal
Yigal Leiba
Zion Hadad
Runcom Technologies Ltd.*

1. General

This contribution contains a proposal of SDL charts that describe the handoff process.

2. Proposed changes

[Add the following entries to table 269]

Table 269—Parameters and constants

System	Name	Time reference	Minimum value	Default value	Maximum value
MSS	T28	Time the SS waits for MOB_BSHO-RSP message			
MSS	T29	MOB_HO-IND timeout when sent with HO_IND_type=01 or 10			

[Add at the end of section 1.4.1.2.2.2]

Figure 0h shows the SDL of an MSS initiating handoff with the BS.




Figure 0h—MSS handoff locally initiated transaction begin state flow diagram

Figure 0i shows the SDL of an MSS waiting for a response from the BS, in addition it present the case in which the MSS has decided to stop the handoff in the middle of the process.




Figure 0i—locally initiated transaction MOB_BSHO-RSP pending state flow diagram

Figure 0j shows the SDL of an MSS following a canceling of the handoff and ensuring that the MOB_HO-IND message was received by the BS (by expiration of T29 timeout). While waiting, if new handoff process is required, the MSS shall stop T29 timer without waiting.




Figure 0j—MSS Handoff locally initiated transaction holding state flow diagram