IEEE 802.3 NGMMF Study Group Teleconference

Robert Lingle Jr., Acting Chair

IEEE 802.3 Next-gen 200G & 400G PHYs over fewer MMF Pairs Study Group

Employer & Affiliation: OFS

December 18, 2017

Web Meeting & Call-in Information

Click below and we will call you to join the meeting:

(Note: some users outside the US have complained that the dial-me feature for audio bridge does not work when clicking the link below, requiring you to dail-in to the audio bridge manually using one of the numbers listed below or at the website if your country is not listed.)

Audio & Web Meeting: https://core.callinfo.com/callme/?ac=7985015&ap=8007682983&role=p&mode=ad

- Or -

1. Dial-In:

- BRAZIL: 08008916743
 - CANADA: 8007682983
 - CHINA UNIFIED: 8008700602
 - DENMARK: 80703123
 - FRANCE: 0800941679
 - GERMANY: 08000004390
 - INDIA: 0008001007004
 - IRELAND: 1800944107
 - ISRAEL: 1809246050
 - ITALY: 800911515
 - JAPAN: 0120923407
 - MEXICO: 18000835990
 - SINGAPORE: 8001012017
 - SOUTH KOREA: 00308131989
 - SWEDEN: 0201400599
 - TAIWAN: 0800666495
 - UNITED KINGDOM: 08004960980
 - UNITED STATES: 8007682983
 - UNITED STATES (Toll): 9139049867
- 2. Enter Access Code: 7985015
- 3. Web Login: https://core.callinfo.com/prt?an=8007682983&ac=7985015

Click here for a list of global toll-free numbers

Agenda

- Please record attendance with employer & affiliation to Mabud mchoudhury@ofsoptics.com
- IEEE 802 Participation
- Pre-PAR Patent Policy
- Approval of agenda & minutes of 12/5 teleconference
- Tutorial on cost discussions with Q&A David Law, Chair of 802.3
- Preparation for the Geneva Interim discussion led by Robert
- Walk-on items

Participation in IEEE 802 Meetings

Participation in any IEEE 802 meeting (Sponsor, Sponsor subgroup, Working Group, Working Group, etc.) is on an individual basis

- Participants in the IEEE standards development individual process shall act based on their qualifications and experience. (https://standards.ieee.org/develop/policies/bylaws/sb_bylaws.pdf section 5.2.1)
- IEEE 802 Working Group membership is by individual; "Working Group members shall participate in the consensus process in a manner consistent with their professional expert opinion as individuals, and not as organizational representatives". (subclause 4.2.1 "Establishment", of the IEEE 802 LMSC Working Group Policies and Procedures)
- Participants have an obligation to act and vote as an individual and not under the direction of any other individual or group. A Participant's obligation to act and vote as an individual applies in all cases, regardless of any external commitments, agreements, contracts, or orders.
- Participants shall not direct the actions or votes of any other member of an IEEE 802 Working Group or retaliate against any other member for their actions or votes within IEEE 802 Working Group meetings, see https://standards.ieee.org/develop/policies/bylaws/sb_bylaws.pdf section 5.2.1.3 and the IEEE 802 LMSC Working Group Policies and Procedures, subclause 3.4.1 "Chair", list item x.

By participating in IEEE 802 meetings, you accept these requirements. If you do not agree to these policies then you shall not participate.

(Latest revision of IEEE 802 LMSC Working Group Policies and Procedures: http://www.ieee802.org/devdocs.shtml)

Guidelines for IEEE-SA Meetings

- All IEEE-SA standards meetings shall be conducted in compliance with all applicable laws, including antitrust and competition laws.
- Don't discuss the interpretation, validity, or essentiality of patents/patent claims.
- Don't discuss specific license rates, terms, or conditions.
 - Relative costs, including licensing costs of essential patent claims, of different technical approaches may be discussed in standards development meetings.
 - Technical considerations remain primary focus
- Don't discuss or engage in the fixing of product prices, allocation of customers, or division of sales markets.
- Don't discuss the status or substance of ongoing or threatened litigation.
- Don't be silent if inappropriate topics are discussed... do formally object.

If you have questions, contact the IEEE-SA Standards Board Patent Committee Administrator at patcom@ieee.org or visit http://standards.ieee.org/about/sasb/patcom/index.html

See *IEEE-SA Standards Board Operations Manual*, clause 5.3.10 and "Promoting Competition and Innovation: What You Need to Know about the IEEE Standards Association's Antitrust and Competition Policy" for more details.

This slide set is available at https://development.standards.ieee.org/myproject/Public/mytools/mob/preparslides.ppt

IEEE 802.3 NGMMF SG Information

- Robert Lingle Jr., Acting Chair
- Home Page http://www.ieee802.org/3/NGMMF/index.html
- Reflector Information http://www.ieee802.org/3/NGMMF/reflector.html

Tutorial on relative cost presentations in 802.3 meetings – David Law

- http://ieee802.org/3/100GNGOPTX/public/may12/lindsay 01 0512 op tx.pdf
- Please bring your questions for David!

Preparation for Geneva Interim

Boilerplate Objectives

- There are some objectives that are typically adopted for a project
- Examples
 - Support full-duplex operation only
 - Preserve the Ethernet frame format utilizing the Ethernet MAC
 - Preserve the minimum and Maximum FrameSize of current Ethernet standard
 - Provide appropriate support for OTN
 - Specify optional Energy Efficient Ethernet (EEE) capability
 - Support a BER of better than or equal to 10⁻¹³ at the MAC/PLS service interface (or the frame loss ratio equivalent)
 - NOTE the lower BER target value of 10⁻¹³ was adopted for 200Gb/s and 400 Gb/s Ethernet in 802.3bs and 802.3cd, whereas 10⁻¹² has been used for 100 Gb/s and lower speeds

MMF objectives in recent projects

- 802.3bs Provide physical layer specifications which support 400 Gb/s operation over at least 100m of MMF
 (http://www.ieee802.org/3/bs/Objectives-16-0317.pdf)
- 802.3cd Define single-lane 50 Gb/s PHYs for operation over
 - MMF with lengths up to at least 100m
- 802.3cd Define a two-lane 100 Gb/s PHY for operation over
 - MMF with lengths up to at least 100m
- 802.3cd Define 200 Gb/s PHYs for operation over
 - MMF with lengths up to at least 100m

(http://www.ieee802.org/3/cd/P802d3cd_objectives_v4.pdf)

Possible specific objectives for this project

- [Language for an objective that states the PMDs defined in the project will be able to use previously defined PCS & FEC from 802.3bs]
- Define a 200Gb/s PHY for operation over fewer than 4 pairs of MMF with channel lengths up to at least 100 m.
- Provide physical layer specifications which support 200Gb/s operation over fewer than 4 pairs of MMF with channel lengths up to at least 100 m.
- Define a 400Gb/s PHY for operation over fewer than 16 pairs of MMF with channel lengths up to at least 100 m.
- Provide physical layer specifications which support 400Gb/s operation over fewer than 16 pairs of MMF with channel lengths up to at least 100 m.

Contributions for January Interim

This is a contribution-driven process! Participants must support the objectives in which they believe by making (preferably consensus) contributions.

- Objectives
- PAR & CSD responses
- A request for presentation time is due by January 4th (I think).

Next call is 11am Eastern, Thursday January 11th

- Further discussion of contributions supporting the objectives & CSD responses
- Reviewing draft contributions for Geneva

Contributions needed and/or anticipated

Purpose of contribution	Comments
Present draft PAR	
Present draft CSD responses	
Document the applicability of the "boilerplate" objectives to this project	
Establish that existing PCS/FEC clauses for 50G lanes support 200 & 400 Gb/s PMDs operating over fewer fiber pairs	Mark Gustlin began a draft
Establish TF for 200GBASE-SR1.4	
Demonstrate BMP, EF, DI, C for 200GBASE-SR1.4	
Deny BMP, EF for 200GBASE-SR1.4	Anticipated
Establish TF for 400GBASE-SR4.2	Anticipate 2 contributions
Demonstrate BMP, EF, DI, C for 400GBASE-SR4.2	
Demonstrate EF, BMP, EF, DI, C for 400GBASE-SR8	
Demonstrate BMP for 400GBASE-SR4	
Document plans outside IEEE 802 standards to determine bandwidth limits for OM3 & OM4 MMF at wavelengths away from 850nm	

TF=technical feasibility; BMP=broad market potential; EF=economic feasibility; DI=distinct identity; C=compatibility

Back Up Material from Previous Telecons

The MMF PMD landscape by fiber count, Baud rate, and modulation format

Technology (per fiber)	1 fiber pair	2 fiber pairs	4 fiber pairs	8 fiber pairs	16 fiber pairs
25G-λ NRZ	25G-SR		100G-SR4		400G-SR16
50G-λ NRZ				400G-SR8	
50G-λ PAM4	50G-SR	100G-SR2	200G-SR4	400G-SR8	
100G-λ PAM4	200G-SR1.2	200G-SR2	400G-SR4	The module types shown in red would be formally within the scope of the SG, but many would lack technical feasibility or broad market potential	
2x50G-λ PAM4		200G-SR2.2	400G-SR4.2		
4x25G-λ NRZ		200G-SR2.4	400G-SR4.4		
4x50G-λ PAM4	200G-SR1.4	400G-SR2.4			


Existing or in-progress IEEE standard

Multi-Wavelength Nomenclature

SRm.n m = # fiber pairs

n = # wavelengths

Overview of IEEE 802.3 Standards Process (1/5)- Study Group Phase



Note: At "Check Point", either the activity is ended, or there may be various options that would allow reconsideration of the approval.