Summary of the Last 24 Hours

Brad Booth Happy Editor-in-Chief

First

- Congratulations!!!
- In about 24 hours, we resolved 733+ comments
- All the technical holes are filled
- Excellent work by all those involved!
- Thank you!!!

- Shimon (1, 2, 4, 6, 22, 31, 31B, 35)
 - Editorial change from D2.2 in Clause 1
- David Law (30, 30A, 30B)
 - Removal of LW4 information
 - Changed latching property of parameter
 - Added clearing signal for parameter
- Brad Booth (44, 44A)
 - Editorial changes
 - Removal of LW4 information

- Ed Turner (45, 45A)
 - Removal LW4 information
 - Editorial changes
 - Jitter information

- Bob Grow (46)
 - Require idle or sequence ordered set prior to start control character (#600)
 - Technical clarifications and editorials
 - Clean up error handling #599 (156, 476), #477, #478 (601)
 - Handling of "Other" ordered sets #59 (51, 460, 461)
 - Remove redundant terms in fault #463, #464
 - Spec minimum IPG #606
 - Electrical testing specification #4
 - Deficit Idle Count #613
 - Spec RX_CLK tolerance and source #602, #603, #178

- Dawson Kesling (47)
 - Minor changes to D2.2
 - Signal detect closed
- Rich Taborek (48)
 Jitter
- Pat Thaler (49)
 - Jitter pattern deferred to ad-hoc
 - Removal of LW4 information

- Tom Alexander (50, 50A)
 - 31 comments received
 - 17 editorial, 14 technical
 - All comments resolved, no known open issues
 - 2 editorial comments rejected
 - Do not contribute to technical completeness of draft
 - 2 technical comments rejected
 - Contribute to readability but not to technical correctness or completeness
 - Elimination of LW4
 - Removed the only major hole in D2.1
 - Resolved jitter issue associated with LW4

- Justin Chang (51)
 - Closed all comments
 - Ready for D2.3 and D3.0
- David Kabal (52)
 - Closed all comments
 - Jitter, OMA, RIN, etc.
- Eric Grann (54)
 - Closed all comments
 - Referencing 52 where applicable