



# Straw Poll # 1

---

I would support a change in CAUI naming to change all instances of “CAUI” that mean either CAUI-10 or CAUI-4 to be “CAUI-n”.

- Y: 74
- N: 2
- A: 12
- Room count: 97



# Straw Poll # 2

---

I would support a baseline proposal for a SMF PMD based on:

- a) CWDM
- b) C-BAND
- c) DMT
- d) PSM4
- e) PAMn
- f) none of the above - rely on LR4 with CAUI-4.

**Pick one of the above only**

a) 30   b) 0   c) 7   d) 26   e) 7   f) 16

Room count = 97



# Straw Poll # 3

---

I would support a baseline proposal for a SMF PMD based on:

- a) CWDM
- b) C-BAND
- c) DMT
- d) PSM4
- e) PAMn
- f) none of the above - rely on LR4 with CAUI-4.

- **Chicago Rules**

- a) 54 b) 1 c) 25 d) 51 e) 31 f) 47



# Straw Poll # 4

---

I would NOT support a baseline proposal for a SMF PMD based on:

- a) CWDM
- b) C-BAND
- c) DMT
- d) PSM4
- e) PAMn
- f) none of the above - rely on LR4 with CAUI-4.

- **Chicago Rules**

- a) 24   b) 50   c) 34   d) 30   e) 36   f) 4



# Straw Poll # 5

---

- Do you believe this proposal is technically feasible:
  - a) CWDM    Y: 70    N: 8
  - b) DMT      Y: 27    N: 22
  - c) PSM4     Y: 79    N: 0
  - d) PAMn     Y: 24    N: 38



# Straw Poll # 6

---

- Do you believe this proposal is economically feasible:

a) CWDM    Y: 47    N: 15

b) DMT      Y: 17    N: 31

c) PSM4     Y: 54    N: 22

d) PAMn     Y: 22    N: 34

e) LR4      Y: 31    N: 32



# Straw Poll # 7

---

- Do you believe this proposal has broad market potential :
  - a) CWDM Y: 41 N: 24
  - b) DMT Y: 24 N: 26
  - c) PSM4 Y: 33 N: 38
  - d) PAMn Y: 25 N: 26
  - e) LR4 Y: 32 N: 21