

Proposed Responses

IEEE P802.3cf D3.0 YANG Data Model Definitions Initial Sponsor ballot comments

Cl 5 SC 5.2 P20 L24 # i-231
 Weber, Karl Beckhoff Automation
 Comment Type TR Comment Status D SI
 speed is m/s according to SI units
 SuggestedRemedy
 Change to data rate
 Proposed Response Response Status W
 PROPOSED REJECT.
 Usurd consistently with IETF RFC https://tools.ietf.org/html/rfc7223 defining YANG Data Model for Interface Management.

Cl 5 SC 5.3.1 P24 L19 # i-232
 Weber, Karl Beckhoff Automation
 Comment Type TR Comment Status D SI
 speed is m/s according to SI units
 SuggestedRemedy
 Change to data rate
 Proposed Response Response Status W
 PROPOSED REJECT.
 See comment #i-231

Cl 5 SC 5.3.2 P27 L10 # i-233
 Weber, Karl Beckhoff Automation
 Comment Type TR Comment Status D SI
 speed is m/s according to SI units
 SuggestedRemedy
 Change to data rate
 Proposed Response Response Status W
 PROPOSED REJECT.
 See comment #i-231

Cl 5 SC 5.3.2 P27 L17 # i-234
 Weber, Karl Beckhoff Automation
 Comment Type TR Comment Status D SI
 speed is m/s according to SI units
 SuggestedRemedy
 Change to data rate
 Proposed Response Response Status W
 PROPOSED REJECT.
 See comment #i-231

Cl 5 SC 5.3.2 P30 L48 # i-235
 Weber, Karl Beckhoff Automation
 Comment Type TR Comment Status D SI
 speed is m/s according to SI units
 SuggestedRemedy
 Change to data rate
 Proposed Response Response Status W
 PROPOSED REJECT.
 See comment #i-231

Cl 5 SC 5.3.2 P30 L49 # i-236
 Weber, Karl Beckhoff Automation
 Comment Type TR Comment Status D SI
 speed is m/s according to SI units
 SuggestedRemedy
 Change to data rate
 Proposed Response Response Status W
 PROPOSED REJECT.
 See comment #i-231

Proposed Responses

IEEE P802.3cf D3.0 YANG Data Model Definitions Initial Sponsor ballot comments

Cl 5 SC 5.3.2.1 P27 L10 # i-158
 Weber, Karl Beckhoff Automation
 Comment Type TR Comment Status D SI
 speed-type is not the appropriate term (speed should mean "data rate")
 SuggestedRemedy
 Replace this parameter by "phy-type" according to IEEE 802.3 30.3.2.1.2
 Proposed Response Response Status W
 PROPOSED REJECT.
 See comment #i-231

Cl 5 SC 5.3.2.1 P31 L24 # i-159
 Weber, Karl Beckhoff Automation
 Comment Type E Comment Status D SI
 frames is not an unit according to the International System of Units see
https://www.bipm.org/utis/common/pdf/si_brochure_8_en.pdf
 SuggestedRemedy
 Delete units - line
 Proposed Response Response Status W
 PROPOSED REJECT.
 Not all units used in YANG modules have to be SI compliant.

Cl 5 SC 5.3.2.1 P31 L46 # i-160
 Weber, Karl Beckhoff Automation
 Comment Type E Comment Status D SI
 frames is not an unit according to the International System of Units see
https://www.bipm.org/utis/common/pdf/si_brochure_8_en.pdf
 SuggestedRemedy
 Delete units - line
 Proposed Response Response Status W
 PROPOSED REJECT.
 See comment #i-159

Cl 5 SC 5.3.2.1 P32 L46 # i-161
 Weber, Karl Beckhoff Automation
 Comment Type E Comment Status D SI
 frames is not an unit according to the International System of Units see
https://www.bipm.org/utis/common/pdf/si_brochure_8_en.pdf
 SuggestedRemedy
 Delete units - line
 Proposed Response Response Status W
 PROPOSED REJECT.
 See comment #i-159

Cl 5 SC 5.3.2.1 P32 L65 # i-162
 Weber, Karl Beckhoff Automation
 Comment Type E Comment Status D SI
 frames is not an unit according to the International System of Units see
https://www.bipm.org/utis/common/pdf/si_brochure_8_en.pdf
 SuggestedRemedy
 Delete units - line
 Proposed Response Response Status W
 PROPOSED REJECT.
 See comment #i-159

Cl 5 SC 5.3.2.1 P35 L25 # i-165
 Weber, Karl Beckhoff Automation
 Comment Type E Comment Status D SI
 frames is not an unit according to the International System of Units see
https://www.bipm.org/utis/common/pdf/si_brochure_8_en.pdf
 SuggestedRemedy
 Delete units - line
 Proposed Response Response Status W
 PROPOSED REJECT.
 See comment #i-159

Proposed Responses

IEEE P802.3cf D3.0 YANG Data Model Definitions Initial Sponsor ballot comments

Cl 5 SC 5.3.2.1 P35 L54 # i-166
 Weber, Karl Beckhoff Automation
 Comment Type E Comment Status D SI
 octets is not an unit according to the International System of Units see
https://www.bipm.org/utis/common/pdf/si_brochure_8_en.pdf
 SuggestedRemedy
 Delete units - line
 Proposed Response Response Status W
 PROPOSED REJECT.
 See comment #i-159

Cl 5 SC 5.3.2.1 P36 L10 # i-168
 Weber, Karl Beckhoff Automation
 Comment Type E Comment Status D SI
 frames is not an unit according to the International System of Units see
https://www.bipm.org/utis/common/pdf/si_brochure_8_en.pdf
 SuggestedRemedy
 Delete units - line
 Proposed Response Response Status W
 PROPOSED REJECT.
 See comment #i-159

Cl 5 SC 5.3.2.1 P36 L33 # i-169
 Weber, Karl Beckhoff Automation
 Comment Type E Comment Status D SI
 frames is not an unit according to the International System of Units see
https://www.bipm.org/utis/common/pdf/si_brochure_8_en.pdf
 SuggestedRemedy
 Delete units - line
 Proposed Response Response Status W
 PROPOSED REJECT.
 See comment #i-159

Cl 5 SC 5.3.2.1 P36 L60 # i-170
 Weber, Karl Beckhoff Automation
 Comment Type E Comment Status D SI
 frames is not an unit according to the International System of Units see
https://www.bipm.org/utis/common/pdf/si_brochure_8_en.pdf
 SuggestedRemedy
 Delete units - line
 Proposed Response Response Status W
 PROPOSED REJECT.
 See comment #i-159

Cl 5 SC 5.3.2.1 P37 L21 # i-171
 Weber, Karl Beckhoff Automation
 Comment Type E Comment Status D SI
 frames is not an unit according to the International System of Units see
https://www.bipm.org/utis/common/pdf/si_brochure_8_en.pdf
 SuggestedRemedy
 Delete units - line
 Proposed Response Response Status W
 PROPOSED REJECT.
 See comment #i-159

Cl 5 SC 5.3.2.1 P37 L46 # i-172
 Weber, Karl Beckhoff Automation
 Comment Type E Comment Status D SI
 frames is not an unit according to the International System of Units see
https://www.bipm.org/utis/common/pdf/si_brochure_8_en.pdf
 SuggestedRemedy
 Delete units - line
 Proposed Response Response Status W
 PROPOSED REJECT.
 See comment #i-159

Proposed Responses

IEEE P802.3cf D3.0 YANG Data Model Definitions Initial Sponsor ballot comments

Cl 5 SC 5.3.2.1 P38 L7 # i-173
 Weber, Karl Beckhoff Automation
 Comment Type E Comment Status D SI
 frames is not an unit according to the International System of Units see
https://www.bipm.org/utis/common/pdf/si_brochure_8_en.pdf
 SuggestedRemedy
 Delete units - line
 Proposed Response Response Status W
 PROPOSED REJECT.
 See comment #-i-159

Cl 5 SC 5.3.2.1 P39 L17 # i-176
 Weber, Karl Beckhoff Automation
 Comment Type E Comment Status D SI
 frames is not an unit according to the International System of Units see
https://www.bipm.org/utis/common/pdf/si_brochure_8_en.pdf
 SuggestedRemedy
 Delete units - line
 Proposed Response Response Status W
 PROPOSED REJECT.
 See comment #-i-159

Cl 5 SC 5.3.2.1 P38 L30 # i-174
 Weber, Karl Beckhoff Automation
 Comment Type E Comment Status D SI
 frames is not an unit according to the International System of Units see
https://www.bipm.org/utis/common/pdf/si_brochure_8_en.pdf
 SuggestedRemedy
 Delete units - line
 Proposed Response Response Status W
 PROPOSED REJECT.
 See comment #-i-159

Cl 5 SC 5.3.2.1 P39 L40 # i-177
 Weber, Karl Beckhoff Automation
 Comment Type E Comment Status D SI
 frames is not an unit according to the International System of Units see
https://www.bipm.org/utis/common/pdf/si_brochure_8_en.pdf
 SuggestedRemedy
 Delete units - line
 Proposed Response Response Status W
 PROPOSED REJECT.
 See comment #-i-159

Cl 5 SC 5.3.2.1 P38 L64 # i-175
 Weber, Karl Beckhoff Automation
 Comment Type E Comment Status D SI
 frames is not an unit according to the International System of Units see
https://www.bipm.org/utis/common/pdf/si_brochure_8_en.pdf
 SuggestedRemedy
 Delete units - line
 Proposed Response Response Status W
 PROPOSED REJECT.
 See comment #-i-159

Cl 5 SC 5.3.2.1 P40 L37 # i-178
 Weber, Karl Beckhoff Automation
 Comment Type E Comment Status D SI
 frames is not an unit according to the International System of Units see
https://www.bipm.org/utis/common/pdf/si_brochure_8_en.pdf
 SuggestedRemedy
 Delete units - line
 Proposed Response Response Status W
 PROPOSED REJECT.
 See comment #-i-159

Proposed Responses

IEEE P802.3cf D3.0 YANG Data Model Definitions Initial Sponsor ballot comments

Cl 5 SC 5.3.2.1 P41 L1 # i-179
 Weber, Karl Beckhoff Automation
 Comment Type E Comment Status D SI
 transitions is not an unit according to the International System of Units see
https://www.bipm.org/utis/common/pdf/si_brochure_8_en.pdf
 SuggestedRemedy
 Delete units - line
 Proposed Response Response Status W
 PROPOSED REJECT.
 See comment #i-159

Cl 5 SC 5.3.2.1 P43 L6 # i-183
 Weber, Karl Beckhoff Automation
 Comment Type E Comment Status D SI
 frames is not an unit according to the International System of Units see
https://www.bipm.org/utis/common/pdf/si_brochure_8_en.pdf
 SuggestedRemedy
 Delete units - line
 Proposed Response Response Status W
 PROPOSED REJECT.
 See comment #i-159

Cl 5 SC 5.3.2.1 P41 L47 # i-180
 Weber, Karl Beckhoff Automation
 Comment Type E Comment Status D SI
 transitions is not an unit according to the International System of Units see
https://www.bipm.org/utis/common/pdf/si_brochure_8_en.pdf
 SuggestedRemedy
 Delete units - line
 Proposed Response Response Status W
 PROPOSED REJECT.
 See comment #i-159

Cl 5 SC 5.3.2.2 P47 L46 # i-185
 Weber, Karl Beckhoff Automation
 Comment Type E Comment Status D SI
 frames is not an unit according to the International System of Units see
https://www.bipm.org/utis/common/pdf/si_brochure_8_en.pdf
 SuggestedRemedy
 Delete units - line
 Proposed Response Response Status W
 PROPOSED REJECT.
 See comment #i-159

Cl 5 SC 5.3.2.1 P42 L49 # i-181
 Weber, Karl Beckhoff Automation
 Comment Type E Comment Status D SI
 frames is not an unit according to the International System of Units see
https://www.bipm.org/utis/common/pdf/si_brochure_8_en.pdf
 in-discard in rfc 8343 has no units definition
 SuggestedRemedy
 Delete units - line
 Proposed Response Response Status W
 PROPOSED REJECT.
 See comment #i-159

Cl 5 SC 5.3.2.2 P48 L5 # i-186
 Weber, Karl Beckhoff Automation
 Comment Type E Comment Status D SI
 frames is not an unit according to the International System of Units see
https://www.bipm.org/utis/common/pdf/si_brochure_8_en.pdf
 SuggestedRemedy
 Delete units - line
 Proposed Response Response Status W
 PROPOSED REJECT.
 See comment #i-159

Proposed Responses

IEEE P802.3cf D3.0 YANG Data Model Definitions Initial Sponsor ballot comments

Cl 5 SC 5.3.2.2 P48 L25 # i-187
 Weber, Karl Beckhoff Automation

Comment Type E Comment Status D SI
 collisions is not an unit according to the International System of Units see
https://www.bipm.org/utis/common/pdf/si_brochure_8_en.pdf

SuggestedRemedy
 Delete units - line

Proposed Response Response Status W
 PROPOSED REJECT.

See comment #i-159

Cl 5 SC 5.3.2.2 P48 L49 # i-188
 Weber, Karl Beckhoff Automation

Comment Type E Comment Status D SI
 errors is not an unit according to the International System of Units see
https://www.bipm.org/utis/common/pdf/si_brochure_8_en.pdf

SuggestedRemedy
 Delete units - line

Proposed Response Response Status W
 PROPOSED REJECT.

See comment #i-159

Cl 5 SC 5.3.2.2 P49 L25 # i-189
 Weber, Karl Beckhoff Automation

Comment Type E Comment Status D SI
 collisions is not an unit according to the International System of Units see
https://www.bipm.org/utis/common/pdf/si_brochure_8_en.pdf

SuggestedRemedy
 Delete units - line

Proposed Response Response Status W
 PROPOSED REJECT.

See comment #i-159

Cl 6 SC 6.1 P60 L15 # i-246
 Zimmerman, George

Comment Type T Comment Status D 802.3bt
 Now that 802.3bt is finished, it is worth noting that clause 145 PSEs and management
 parameters are not covered by YANG. Some changes are obvious (power classes 6
 through 8 are no longer PoDL-only). Others may be more subtle. Rather than generating a
 bunch of work, right now, it is worth specifying that the amendment of 802.3bt are not yet
 included in this draft.

SuggestedRemedy
 Insert "This initial version of IEEE Std 802.3.2 does not include the impact of amendments
 made to IEEE Std 802.3-2018 by IEEE Std 802.3bt-2018, which was approved while this
 document was already in Sponsor ballot.

Proposed Response Response Status W
 PROPOSED REJECT.

802.3bt-2018 is out of scope for this project, as discussed multiple times. 802.3bt did not
 make the cut to be included in 802.3-2018 release, hence it is not covered in this document.

Cl 6 SC 6.3 P51 L1 # i-128
 Grow, Robert RMG Consulting

Comment Type TR Comment Status D 802.3bt
 There is a major issue raised with the approval of P802.3bt and by definition, IEEE Std
 802.3bt-201x becoming part of IEEE Std 802.3-2018. Per IEEE style, a reference to IEEE
 Std 802.3-2018 includes all approved amendments. One problem for P802.3.2 created by
 IEEE Std 802.3bt-201x is addition of "Power over Ethernet" and in some cases
 replacement of DTE Power via the MDI with various forms of Power over Ethernet e.g.,
 (Power over Ethernet over 2 pairs). This includes changes in clause 30 management.

The draft should specify capabilities consistent with the changes introduced by IEEE Std
 802.3bt-201x). (The WG Chair should have a target publication date for the amendment.)

SuggestedRemedy
 Replace DTE Power via the MDI terminology to be consistent with the current usage of
 Power over Ethernet terms. Add new attributes and enumerations included in IEEE Std
 802.3bt-201x.

Proposed Response Response Status W
 PROPOSED REJECT.

See comment #i-246

Proposed Responses

IEEE P802.3cf D3.0 YANG Data Model Definitions Initial Sponsor ballot comments

Cl 7 SC 7.4.2 P88 L63 # i-190
 Weber, Karl Beckhoff Automation
 Comment Type E Comment Status D SI
 frames is not an unit according to the International System of Units see
https://www.bipm.org/utis/common/pdf/si_brochure_8_en.pdf
 SuggestedRemedy
 Delete units - line
 Proposed Response Response Status W
 PROPOSED REJECT.
 See comment #-i-159

Cl 7 SC 7.4.2 P90 L51 # i-194
 Weber, Karl Beckhoff Automation
 Comment Type E Comment Status D SI
 frames is not an unit according to the International System of Units see
https://www.bipm.org/utis/common/pdf/si_brochure_8_en.pdf
 SuggestedRemedy
 Delete units - line
 Proposed Response Response Status W
 PROPOSED REJECT.
 See comment #-i-159

Cl 7 SC 7.4.2 P89 L27 # i-191
 Weber, Karl Beckhoff Automation
 Comment Type E Comment Status D SI
 frames is not an unit according to the International System of Units see
https://www.bipm.org/utis/common/pdf/si_brochure_8_en.pdf
 SuggestedRemedy
 Delete units - line
 Proposed Response Response Status W
 PROPOSED REJECT.
 See comment #-i-159

Cl 7 SC 7.4.2 P91 L16 # i-195
 Weber, Karl Beckhoff Automation
 Comment Type E Comment Status D SI
 frames is not an unit according to the International System of Units see
https://www.bipm.org/utis/common/pdf/si_brochure_8_en.pdf
 SuggestedRemedy
 Delete units - line
 Proposed Response Response Status W
 PROPOSED REJECT.
 See comment #-i-159

Cl 7 SC 7.4.2 P89 L58 # i-192
 Weber, Karl Beckhoff Automation
 Comment Type E Comment Status D SI
 frames is not an unit according to the International System of Units see
https://www.bipm.org/utis/common/pdf/si_brochure_8_en.pdf
 SuggestedRemedy
 Delete units - line
 Proposed Response Response Status W
 PROPOSED REJECT.
 See comment #-i-159

Cl 7 SC 7.4.2 P91 L47 # i-196
 Weber, Karl Beckhoff Automation
 Comment Type E Comment Status D SI
 frames is not an unit according to the International System of Units see
https://www.bipm.org/utis/common/pdf/si_brochure_8_en.pdf
 SuggestedRemedy
 Delete units - line
 Proposed Response Response Status W
 PROPOSED REJECT.
 See comment #-i-159

Proposed Responses

IEEE P802.3cf D3.0 YANG Data Model Definitions Initial Sponsor ballot comments

Cl 7 SC 7.4.2 P92 L11 # i-197
 Weber, Karl Beckhoff Automation
 Comment Type E Comment Status D SI
 frames is not an unit according to the International System of Units see
https://www.bipm.org/utis/common/pdf/si_brochure_8_en.pdf
 SuggestedRemedy
 Delete units - line
 Proposed Response Response Status W
 PROPOSED REJECT.
 See comment #-i-159

Cl 7 SC 7.4.2 P93 L37 # i-200
 Weber, Karl Beckhoff Automation
 Comment Type E Comment Status D SI
 frames is not an unit according to the International System of Units see
https://www.bipm.org/utis/common/pdf/si_brochure_8_en.pdf
 SuggestedRemedy
 Delete units - line
 Proposed Response Response Status W
 PROPOSED REJECT.
 See comment #-i-159

Cl 7 SC 7.4.2 P92 L42 # i-198
 Weber, Karl Beckhoff Automation
 Comment Type E Comment Status D SI
 frames is not an unit according to the International System of Units see
https://www.bipm.org/utis/common/pdf/si_brochure_8_en.pdf
 SuggestedRemedy
 Delete units - line
 Proposed Response Response Status W
 PROPOSED REJECT.
 See comment #-i-159

Cl 7 SC 7.4.2 P94 L3 # i-201
 Weber, Karl Beckhoff Automation
 Comment Type E Comment Status D SI
 frames is not an unit according to the International System of Units see
https://www.bipm.org/utis/common/pdf/si_brochure_8_en.pdf
 SuggestedRemedy
 Delete units - line
 Proposed Response Response Status W
 PROPOSED REJECT.
 See comment #-i-159

Cl 7 SC 7.4.2 P93 L6 # i-199
 Weber, Karl Beckhoff Automation
 Comment Type E Comment Status D SI
 frames is not an unit according to the International System of Units see
https://www.bipm.org/utis/common/pdf/si_brochure_8_en.pdf
 SuggestedRemedy
 Delete units - line
 Proposed Response Response Status W
 PROPOSED REJECT.
 See comment #-i-159

Cl 7 SC 7.4.2 P94 L33 # i-202
 Weber, Karl Beckhoff Automation
 Comment Type E Comment Status D SI
 frames is not an unit according to the International System of Units see
https://www.bipm.org/utis/common/pdf/si_brochure_8_en.pdf
 SuggestedRemedy
 Delete units - line
 Proposed Response Response Status W
 PROPOSED REJECT.
 See comment #-i-159

Proposed Responses

IEEE P802.3cf D3.0 YANG Data Model Definitions Initial Sponsor ballot comments

Cl 7 SC 7.4.2 P94 L64 # i-203
 Weber, Karl Beckhoff Automation
 Comment Type E Comment Status D SI
 frames is not an unit according to the International System of Units see
https://www.bipm.org/utis/common/pdf/si_brochure_8_en.pdf
 SuggestedRemedy
 Delete units - line
 Proposed Response Response Status W
 PROPOSED REJECT.
 See comment #-i-159

Cl 7 SC 7.4.2 P96 L27 # i-206
 Weber, Karl Beckhoff Automation
 Comment Type E Comment Status D SI
 frames is not an unit according to the International System of Units see
https://www.bipm.org/utis/common/pdf/si_brochure_8_en.pdf
 SuggestedRemedy
 Delete units - line
 Proposed Response Response Status W
 PROPOSED REJECT.
 See comment #-i-159

Cl 7 SC 7.4.2 P95 L39 # i-204
 Weber, Karl Beckhoff Automation
 Comment Type E Comment Status D SI
 frames is not an unit according to the International System of Units see
https://www.bipm.org/utis/common/pdf/si_brochure_8_en.pdf
 SuggestedRemedy
 Delete units - line
 Proposed Response Response Status W
 PROPOSED REJECT.
 See comment #-i-159

Cl 7 SC 7.4.2 P96 L61 # i-207
 Weber, Karl Beckhoff Automation
 Comment Type E Comment Status D SI
 frames is not an unit according to the International System of Units see
https://www.bipm.org/utis/common/pdf/si_brochure_8_en.pdf
 SuggestedRemedy
 Delete units - line
 Proposed Response Response Status W
 PROPOSED REJECT.
 See comment #-i-159

Cl 7 SC 7.4.2 P96 L1 # i-205
 Weber, Karl Beckhoff Automation
 Comment Type E Comment Status D SI
 frames is not an unit according to the International System of Units see
https://www.bipm.org/utis/common/pdf/si_brochure_8_en.pdf
 SuggestedRemedy
 Delete units - line
 Proposed Response Response Status W
 PROPOSED REJECT.
 See comment #-i-159

Cl 7 SC 7.4.2 P97 L29 # i-208
 Weber, Karl Beckhoff Automation
 Comment Type E Comment Status D SI
 frames is not an unit according to the International System of Units see
https://www.bipm.org/utis/common/pdf/si_brochure_8_en.pdf
 SuggestedRemedy
 Delete units - line
 Proposed Response Response Status W
 PROPOSED REJECT.
 See comment #-i-159

Proposed Responses

IEEE P802.3cf D3.0 YANG Data Model Definitions Initial Sponsor ballot comments

Cl 7 SC 7.4.2 P97 L57 # i-209
 Weber, Karl Beckhoff Automation
 Comment Type E Comment Status D SI
 frames is not an unit according to the International System of Units see
https://www.bipm.org/utis/common/pdf/si_brochure_8_en.pdf
 SuggestedRemedy
 Delete units - line
 Proposed Response Response Status W
 PROPOSED REJECT.
 See comment #-i-159

Cl 7 SC 7.4.2 P99 L16 # i-212
 Weber, Karl Beckhoff Automation
 Comment Type E Comment Status D SI
 frames is not an unit according to the International System of Units see
https://www.bipm.org/utis/common/pdf/si_brochure_8_en.pdf
 SuggestedRemedy
 Delete units - line
 Proposed Response Response Status W
 PROPOSED REJECT.
 See comment #-i-159

Cl 7 SC 7.4.2 P98 L20 # i-210
 Weber, Karl Beckhoff Automation
 Comment Type E Comment Status D SI
 frames is not an unit according to the International System of Units see
https://www.bipm.org/utis/common/pdf/si_brochure_8_en.pdf
 SuggestedRemedy
 Delete units - line
 Proposed Response Response Status W
 PROPOSED REJECT.
 See comment #-i-159

Cl 7 SC 7.4.2 P99 L47 # i-213
 Weber, Karl Beckhoff Automation
 Comment Type E Comment Status D SI
 frames is not an unit according to the International System of Units see
https://www.bipm.org/utis/common/pdf/si_brochure_8_en.pdf
 SuggestedRemedy
 Delete units - line
 Proposed Response Response Status W
 PROPOSED REJECT.
 See comment #-i-159

Cl 7 SC 7.4.2 P98 L49 # i-211
 Weber, Karl Beckhoff Automation
 Comment Type E Comment Status D SI
 frames is not an unit according to the International System of Units see
https://www.bipm.org/utis/common/pdf/si_brochure_8_en.pdf
 SuggestedRemedy
 Delete units - line
 Proposed Response Response Status W
 PROPOSED REJECT.
 See comment #-i-159

Cl 7 SC 7.4.2 P100 L14 # i-214
 Weber, Karl Beckhoff Automation
 Comment Type E Comment Status D SI
 frames is not an unit according to the International System of Units see
https://www.bipm.org/utis/common/pdf/si_brochure_8_en.pdf
 SuggestedRemedy
 Delete units - line
 Proposed Response Response Status W
 PROPOSED REJECT.
 See comment #-i-159

Proposed Responses

IEEE P802.3cf D3.0 YANG Data Model Definitions Initial Sponsor ballot comments

Cl 7 SC 7.4.2 P100 L58 # i-215
 Weber, Karl Beckhoff Automation
 Comment Type E Comment Status D SI
 frames is not an unit according to the International System of Units see
https://www.bipm.org/utis/common/pdf/si_brochure_8_en.pdf
 SuggestedRemedy
 Delete units - line
 Proposed Response Response Status W
 PROPOSED REJECT.
 See comment #i-159

Cl 7 SC 7.4.2 P107 L21 # i-218
 Weber, Karl Beckhoff Automation
 Comment Type E Comment Status D SI
 code-group is not an unit according to the International System of Units see
https://www.bipm.org/utis/common/pdf/si_brochure_8_en.pdf
 SuggestedRemedy
 Delete units - line
 Proposed Response Response Status W
 PROPOSED REJECT.
 See comment #i-159

Cl 7 SC 7.4.2 P106 L24 # i-216
 Weber, Karl Beckhoff Automation
 Comment Type E Comment Status D SI
 code-group is not an unit according to the International System of Units see
https://www.bipm.org/utis/common/pdf/si_brochure_8_en.pdf
 SuggestedRemedy
 Delete units - line
 Proposed Response Response Status W
 PROPOSED REJECT.
 See comment #i-159

Cl 7 SC 7.4.2 P107 L50 # i-219
 Weber, Karl Beckhoff Automation
 Comment Type E Comment Status D SI
 code-group is not an unit according to the International System of Units see
https://www.bipm.org/utis/common/pdf/si_brochure_8_en.pdf
 SuggestedRemedy
 Delete units - line
 Proposed Response Response Status W
 PROPOSED REJECT.
 See comment #i-159

Cl 7 SC 7.4.2 P106 L56 # i-217
 Weber, Karl Beckhoff Automation
 Comment Type E Comment Status D SI
 code-group is not an unit according to the International System of Units see
https://www.bipm.org/utis/common/pdf/si_brochure_8_en.pdf
 SuggestedRemedy
 Delete units - line
 Proposed Response Response Status W
 PROPOSED REJECT.
 See comment #i-159

Cl 7 SC 7.4.2 P113 L40 # i-220
 Weber, Karl Beckhoff Automation
 Comment Type E Comment Status D SI
 TQ is not an unit according to the International System of Units see
https://www.bipm.org/utis/common/pdf/si_brochure_8_en.pdf
 SuggestedRemedy
 Delete units - line
 Proposed Response Response Status W
 PROPOSED REJECT.
 See comment #i-159

Proposed Responses

IEEE P802.3cf D3.0 YANG Data Model Definitions Initial Sponsor ballot comments

Cl 7 SC 7.4.2 P116 L32 # i-221
 Weber, Karl Beckhoff Automation
 Comment Type E Comment Status D SI
 TQ (16ns) is not an unit according to the International System of Units see
https://www.bipm.org/utis/common/pdf/si_brochure_8_en.pdf
 SuggestedRemedy
 Delete units - line
 Proposed Response Response Status W
 PROPOSED REJECT.
 See comment #i-159

Cl 7 SC 7.4.2 P119 L5 # i-224
 Weber, Karl Beckhoff Automation
 Comment Type E Comment Status D SI
 TQ (16ns) is not an unit according to the International System of Units see
https://www.bipm.org/utis/common/pdf/si_brochure_8_en.pdf
 SuggestedRemedy
 Delete units - line
 Proposed Response Response Status W
 PROPOSED REJECT.
 See comment #i-159

Cl 7 SC 7.4.2 P118 L18 # i-223
 Weber, Karl Beckhoff Automation
 Comment Type E Comment Status D SI
 TQ (16ns) is not an unit according to the International System of Units see
https://www.bipm.org/utis/common/pdf/si_brochure_8_en.pdf
 SuggestedRemedy
 Delete units - line
 Proposed Response Response Status W
 PROPOSED REJECT.
 See comment #i-159

Cl 7 SC 7.4.2 P145 L29 # i-228
 Weber, Karl Beckhoff Automation
 Comment Type E Comment Status D SI
 bytes is not an unit according to the International System of Units see
https://www.bipm.org/utis/common/pdf/si_brochure_8_en.pdf
 SuggestedRemedy
 Delete units - line
 Proposed Response Response Status W
 PROPOSED ACCEPT IN PRINCIPLE.
 Change bytes to octets

Cl 7 SC 7.4.2 P118 L44 # i-222
 Weber, Karl Beckhoff Automation
 Comment Type E Comment Status D SI
 TQ (16ns) is not an unit according to the International System of Units see
https://www.bipm.org/utis/common/pdf/si_brochure_8_en.pdf
 SuggestedRemedy
 Delete units - line
 Proposed Response Response Status W
 PROPOSED REJECT.
 See comment #i-159