

Comment agenda (52)

- Incorporate 802.3bs and 802.3cc [112, 82], 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 78, 80
- “Reserved” 113, [114, 115], [grow 1_0118](#)
- Definition of “lane” 41
- Isolation/insulation 89, 90, 91, 92, 94, 98, 100, 102, 103, 105, 107, 109
- IEC 60060 comes in parts 85, 86, 87, 95, 101
- IEC 60950 88, 99, 104, 106, 108, 110
- Isolation impulse test (CI 33) 97
- CI 45 [2, 4], 13, 42
- 2.5G and 5G support in CI 46 19, 119, 122
- 10GBASE-T optional loop timing 17
- Signal ordered set (CI 49) 51

Comment agenda (3)

- Data delay with FEC (CI 90) 52
- 100BASE-T1 FORCE mode (CI 96) 36
- ATIS-0600424, ATIS-0600417 references **123**, [anslow_1_0118](#)

Late comments marked in **red**.

“Bucket-worthy” comments (21)

- MEC 53
- Definition of em dash 77
- /LI/ missing from list of ordered sets (CI 36) 47
- List of Technology-Dependent PHYs (CI 73) 48, 49
- Timer values defined in two places (CI 73) 50
- “Channels” vs. “signals” 120
- “Twinax” vs. “twiaxial” 58
- PICS 12, 27, 60
- Description of DC block placement 29, 30, 33, 45
- Illustration of return loss (CI 85) 111
- Test fixture vs. test setup 34, 35
- Units in impulse definition 96, 93
- Return loss text 39

“Bucket-worthy” comments (49)

- CI 33 editorial 31, 32
- Title of 40.6.1.3.1 and similar 14
- Loop timing not optional (CI 113) 18
- CI 45 1, 3, 5, 61, 62, 63, 64, 65
- 10GBASE-W support (CI 46) 20
- Style 21, [22, 118], 54
- Abbreviations, re-wording 6, 10, [15, 16], 23, 24, 25, 26, 43, 44, 56, 121
- Cross-references 8, 9, 37, 38, 46, 57
- Typo(s), fonts, capitalization, precision 40, 55, 59, 79, 81, 83, 84, 116, 117, 124
- Document hierarchy and flow 11, 28
- Undated reference to IEEE Std 802 125, 126

Late comments marked in red.