Comment NAJ-01 **Line** 142 Severity A/C Type ED Status MODIFIED Section .3 Highlight To Committee Commenter Agrees? ✓ Editing Complete Concern: Not enough detail. See section 4/line 281 for the Amd. 1 equivalent. Solution: New text: None. Corrects the detection of a condition requiring the priority STACK to be optionally cleared in the ISO/IEC 8802-5:1198/Amd. 1:1998 standard (all known implementations handle this condition correctly). Response: Accept in principle. However section 3 deals with changes to 802.5:1998 so I have removed the reference to Amd.1 (and added a few centuries). New text: None. Corrects the detection of a condition requiring the priority STACK to be optionally cleared in the ISO/IEC 8802-5:1998 standard (all known implementations handle this condition correctly). Rebuttal: Comment KR-01 Section 0.0 **Line** 76 Severity A/C Type ED **Status** ACCEPTED Highlight To Committee Commenter Agrees? Editing Complete If the blank page between the table of contents and the Overview is in fact a blank page and not a formatting snafu then it needs to be identified as such. If a blank page, add "This page intentionally left blank." If a formatting problem, please correct it. Response: This will be addressed when the document is migrated to Framemaker prior to publication. Rebuttal: Comment MJH-01 **Line** 382 Severity A/C Type ED Status MODIFIED Section 4.0 Highlight To Committee Commenter Agrees? Editing Complete The change to REF 3206, adds the text 'FSMR<2' to the Event column, without the change indication. Solution: Remove 'FSMR<2' Response: Good catch. Remove "FSMR<2 & ". Rebuttal:

21-Jan-99 802.5/99/01-05r1 Page 1 of 5

```
Comment MJH-02
Section 4.0
            Line 398
                         Severity A/C
                                      Type ED
                                                 Status MODIFIED
Highlight To Committee ✓ Commenter Agrees?
                                              Editing Complete
         References 1203 and 1210 have had the 'S/T' field captalized (can't have a
         York meeting without a long discussion on captialization).
         Leave them as they were, ie 'TEDa' and 'TEDb' or change them all. (1208 ,
Solution:
         1204, 1205, and new TEDH on 1209) and all the TDEx). If changed ensure changed
         is underlined.
Response: Background: Other clauses seem to use all caps for alternatives. Figure M.3
         in W/dl has been changed to use all caps where before it said TEDa.
         802.5w seems to have been based on changes from 802.5t in practice.
         caused difficulties such as the one outlined in this comment. The committee
         feels that the document should be based on changes from 802.5 and Amd.1
         instead.
         The irrelevant editorial changes will be removed.
Rebuttal:
Comment MJH-03
Section 4.0
            Line 398
                         Severity A/C
                                      Type ED
                                                 Status MODIFIED
Highlight To Committee ✓ Commenter Agrees?
                                              Editing Complete
Concern: 'S/T' 'TEDH' added to ref 1209, without underline
Solution: Indicate 'S/T' has been changed.
Response: Avoid the change. See MJH-02.
Rebuttal:
Comment EDTR-17
            Line 398
                         Severity DIS
Section 4.0
                                      Type ED
                                                 Status ACCEPTED
Highlight To Committee ☐ Commenter Agrees? ☐
                                              Editing Complete
         Transition 1209 is missing a S/T column entry. Ref 1205 has the wrong S/T
Concern:
         entry.
         Suggest: Add next free "TED?" reference as the S/T column entry for ref 1209.
Solution:
         Change 1205's S/T entry back to "TEDe".
         Editor to sort out the details. Try to avoid clashes with 802.5t.
Response:
Rebuttal:
Comment MJH-04
Section 4.0
             Line 398
                         Severity A/C
                                      Type ED
                                                 Status MODIFIED
Highlight To Committee Commenter Agrees?
                                              Editing Complete
Concern: 'S/T' for 1205 has been changed from 'TEDe' to 'TEDH'
Solution: Indicate 'S/T' has been changed.
Response: See MJH-02.
Rebuttal:
```

21-Jan-99 802.5/99/01-05r1 Page 2 of 5

Comment MJH-06 Section 4.0 **Line** 398 Severity A/C Type ED Status MODIFIED Highlight To Committee Commenter Agrees? Editing Complete Concern: Comment on ref 1209 has been changed without being underlined. Solution: Indicate comment changed Response: See MJH-02. Rebuttal: **Comment MJH-05** Section 4.0 **Line** 398 Severity A/C Type ED Status MODIFIED Editing Complete Highlight To Committee Commenter Agrees? Concern: Comment on action for ref 1210 has been changed, without being underlined. Indicate comment changed Response: See MJH-02. Rebuttal: Comment MJH-07 Section 4.0 **Line** 400 Severity A/C Type ED Status ACCEPTED Highlight To Committee ☐ Commenter Agrees? ☐ Editing Complete The event for ref 1606 has had a non-indicated change of Concern: CSLE<255. Solution: Change CSLE to CPLE and do not indicate a change. Response: Correct. Rebuttal: **Comment MJH-08** Section 4.0 Severity A/C Status ACCEPTED **Line** 424 Type ED Highlight To Committee Commenter Agrees? Editing Complete 'S/T''s TDEb, TDEa, TEDa, TEDb, TEDc, TEDd have been capitalized without a change indication. TEDe has been deleted without a change indication. TEDH has been added without a change indication. Solution: Make diagram consistent with actual table and indicate ALL changes. Response: Accept, in that the irrelevant changes will be undone. Rebuttal: Comment NAJ-02 Section A..7 **Severity** DIS **Line** 165 Type ED **Status** ACCEPTED Highlight To Committee Commenter Agrees? Editing Complete Concern: Table A.7.3.4 <<TBD>> reference should be fixed. Should be 8.3 Solution: Response: Done. Rebuttal:

21-Jan-99 802.5/99/01-05r1 Page 3 of 5

Comment NAJ-03 Section A..7 **Line** 167 Severity DIS Type ED **Status** ACCEPTED Highlight To Committee ☐ Commenter Agrees? ☐ Editing Complete Concern: Table A.7.3.5 <<TBD>>> reference should be fixed. Solution: Should be 8.3.1 Response: Done. Rebuttal: **Comment NAJ-04 Line** 169 Severity DIS Type ED **Status** ACCEPTED Section A..7 Highlight To Committee ☐ Commenter Agrees? ☐ Editing Complete Concern: Table A.7.3.6 <<TBD>> reference should be fixed. Solution: Should be 13.7.2.2 Response: Done. Rebuttal: **Comment MJH-09** Section A.5 **Line** 106 Severity Q Type TECH Status ANSWERED Highlight To Committee Commenter Agrees? Editing Complete Concern: Was the 'Status' for *DTRS and *DTRP in the ISO 8802-5 Amd 1 document, incorrect? Solution: Response: Yes. The entries you refer to allowed you state that an implementation was both a station and a C-Port. This is not possible within the standard. However if you are a C-Port, you can be in station emulation mode. But that's not the same as being a station. Rebuttal: Comment MJH-11 **Line** 112 Section A.6 Severity A/C Type ED **Status** REJECTED Highlight To Committee ✓ Commenter Agrees? Editing Complete This 'Item' has been renamed 'TRM'. I believe Txxx convention was used for Timers and TRxx for Transmitter Specs, since this is neither of thos types what is TRM meant to convey? Solution: Rename it back to DSM. Response: There is no such stated convention regarding the naming of PICS entries. As long as there's no conflict with any other name the labels are arbitrary. Further, the new name relates to the title of the PICS entry "Transitions Relating to MAC Frames" whereas the committee was unable to see the connection between "DSM" and the PICS entry.

21-Jan-99 802.5/99/01-05r1 Page 4 of 5

Rebuttal:

Comment MJH-10 Section A.6 **Line** 112 **Severity** Q Type TECH Status ANSWERED Highlight To Committee Commenter Agrees? Editing Complete Concern: Reference 3.3 has been deleted from this table. Is this correct? Solution: Response: This was done because the transitions are in 4 and 9, and the formats in 3 and 10. There are entries refering to 3 and 10 elsewhere. Rebuttal: **Comment SJH-01** Type ED Severity A/C Section P.0 Line 0 Status REJECTED Highlight To Committee ☐ Commenter Agrees? ✓ Editing Complete Concern: Annex P in ISO/IEC 8802-5 : 1998 has an incorrect header at the top of the odd pages ... see page 243. The date is incorrect. Solution: Correct to 1998. Response: Good spot. However this document is not dealing with purely editorial issues. Rebuttal:

21-Jan-99 802.5/99/01-05r1 Page 5 of 5



Errata 802.5w/d1: Comment Index

EDIR-17	 2
KR-01	 1
MJH-01	 1
MJH-02	 2
MJH-03	 2
MJH-04	 2
MJH-05	 3
MJH-06	 3
MJH-07	 3
MJH-08	 3
MJH-09	 4
MJH-10	 5
MJH-11	 4
NAJ-01	 1
NAJ-02	 3
NAJ-03	 4
NAJ-04	 4
SJH-01	5

	ED	TECH
A/C	12	0
DIS	4	0
Q	0	2

Total A/C Comments:	12
Total DIS Comments:	4
Total Q Comments:	2
Total Comments:	18

	Total	To Be Closed
OPEN	0	0
ACCEPTED	7	0
MODIFIED	7	6
REJECTED	2	1
ANSWERED	2	2
WITHDRAWN	0	0

Comment IDs by Type. Bold IDs require closure.

A/C Comment IDs: NAJ-01 KR-01 MJH-07 MJH-08 SJH-01

MJH-01 MJH-02 MJH-03 MJH-04 MJH-06 MJH-05 MJH-11

DIS Comment IDs: EDTR-17 NAJ-02 NAJ-03 NAJ-04

Q Comment IDs: MJH-09 MJH-10

21-Jan-99 802.5/99/01-05r1 Summary Page 1