

Using Quiet Period for Channel Measurement

IEEE 802.16 Presentation Submission Template (Rev. 8.3)

Document Number:

S802.16h-06/105

Date Submitted:

2006-11-15

Source:

Shulan Feng

Hisilicon Tech.

Bld.17, No.8, Dongbeiwang West Road,

Hai-Dian District, Beijing, P. R. China

Voice: 86-10-82829151

Fax:

E-mail: fengsl@hisilicon.com

Venue:

Meeting 46, 13-16 November, 2006

Base Document:

http://le.wirelessman.org/C80216h-06_105.pdf

Purpose:

Define how to perform channel measure during the operating stage.

Notice:

This document has been prepared to assist IEEE 802.16. It is offered as a basis for discussion and is not binding on the contributing individual(s) or organization(s). The material in this document is subject to change in form and content after further study. The contributor(s) reserve(s) the right to add, amend or withdraw material contained herein.

Release:

The contributor grants a free, irrevocable license to the IEEE to incorporate material contained in this contribution, and any modifications thereof, in the creation of an IEEE Standards publication; to copyright in the IEEE's name any IEEE Standards publication even though it may include portions of this contribution; and at the IEEE's sole discretion to permit others to reproduce in whole or in part the resulting IEEE Standards publication. The contributor also acknowledges and accepts that this contribution may be made public by IEEE 802.16.

IEEE 802.16 Patent Policy:

The contributor is familiar with the IEEE 802.16 Patent Policy and Procedures <http://ieee802.org/16/ipr/patents/policy.html>, including the statement "IEEE standards may include the known use of patent(s), including patent applications, provided the IEEE receives assurance from the patent holder or applicant with respect to patents essential for compliance with both mandatory and optional portions of the standard." Early disclosure to the Working Group of patent information that might be relevant to the standard is essential to reduce the possibility for delays in the development process and increase the likelihood that the draft publication will be approved for publication. Please notify the Chair <mailto:chair@wirelessman.org> as early as possible, in written or electronic form, if patented technology (or technology under patent application) might be incorporated into a draft standard being developed within the IEEE 802.16 Working Group. The Chair will disclose this notification via the IEEE 802.16 web site <http://ieee802.org/16/ipr/patents/notices>.

Purpose

- Define how to perform channel measure during the operating stage.
- Channel measurement is impliedly defined in difference parts of draft and there is no clear description.
- A text is proposed

- Slave sub-frame and extended quiet period may be used for sensing on non-operating channel
- Quiet CSI/CMI are used for neighbor detection on non-operating channel
 - Just follow the procedure during initialization stage