

Project	IEEE 802.16 Broadband Wireless Access Working Group < http://ieee802.org/16 >	
Title	MS network entry Flow Charts for non-transparent RS with Centralized Scheduling	
Date Submitted	2007-07-05	
Source(s)	Masato Okuda Fujitsu Laboratories LTD. Kamikodanaka 4-1-1, Nakahara-ku Kawasaki, Japan. 211-8588	Voice: +81-44-754-2811 E-mail: okuda@jp.fujitsu.com
Re:	IEEE802.16j-07/19, "Call for Technical Comments Regarding IEEE Project 802.16j"	
Abstract	This contribution proposes MS network entry procedure Flow Charts in non-transparent Relay Station systems.	
Purpose	To propose text to describe MS network entry in non-transparent Relay Station systems	
Notice	<i>This document does not represent the agreed views of the IEEE 802.16 Working Group or any of its subgroups. It represents only the views of the participants listed in the "Source(s)" field above. It is offered as a basis for discussion. It is not binding on the contributor(s), who reserve(s) the right to add, amend or withdraw material contained herein.</i>	
Release	The contributor grants a free, irrevocable license to the IEEE to incorporate material contained in this contribution, and any modifications thereof, in the creation of an IEEE Standards publication; to copyright in the IEEE's name any IEEE Standards publication even though it may include portions of this contribution; and at the IEEE's sole discretion to permit others to reproduce in whole or in part the resulting IEEE Standards publication. The contributor also acknowledges and accepts that this contribution may be made public by IEEE 802.16.	
Patent Policy	The contributor is familiar with the IEEE-SA Patent Policy and Procedures: < http://standards.ieee.org/guides/bylaws/sect6-7.html#6 > and < http://standards.ieee.org/guides/opman/sect6.html#6.3 >. Further information is located at < http://standards.ieee.org/board/pat/pat-material.html > and < http://standards.ieee.org/board/pat >.	

MS network entry Flow Charts for non-transparent RS with Centralized Scheduling

Masato Okuda

Introduction


This contribution proposes flow charts in MS network entry procedures for non-transparent Relay Station with centralized scheduling.

Specific Text Changes

Insert the following text in the first sentence of the last paragraph in the 6.3.9.16.2.1 (Non-transparent RS with Centralized Scheduling):

The message sequences chart (Table xxx-1) and [and flow charts \(Figure X-1, Figure X-2 and Figure X-3\)](#) on the following pages defines the ranging and adjustment process that shall be followed by compliant RSs and MR-BSs. For CDMA ranging process between RS and MS, these details can be found in 6.3.10.3.

Insert the following figures after the table 199b in the 6.3.9.16.2.1 (Non-transparent RS with Centralized Scheduling):



[Figure-X-1 MS CDMA ranging - RS](#)




Figure-X-2 MS initial ranging - RS




Figure-X-3 MS initial ranging – MR-BS

References

- [1] IEEE 802.16j-07_026r4