

Project	IEEE 802.16 Broadband Wireless Access Working Group < http://ieee802.org/16 >	
Title	HO Overview Section Cleanup 6 — Target BS Scanning Section	
Date Submitted	2004-03-08	
Source(s)	Phillip Barber Broadband Mobile Technologies, Inc. 8302 Sebastian Inlet Frisco, Tx 75035	Voice: +1 (972) 365-6314 Fax: +1 (925) 396-0269 [mailto:pbarber@BroadbandMobileTech.com]
Re:	Response to IEEE 802.16e-04/06 (Call for Contributions on IEEE 802.16e/D1)	
Abstract	HO Overview Section Cleanup 6 — Target BS Scanning Section	
Purpose	Correct overview section flow and language in HO Overview Section	
Notice	This document has been prepared to assist IEEE 802.16. It is offered as a basis for discussion and is not binding on the contributing individual(s) or organization(s). The material in this document is subject to change in form and content after further study. The contributor(s) reserve(s) the right to add, amend or withdraw material contained herein.	
Release	The contributor grants a free, irrevocable license to the IEEE to incorporate material contained in this contribution, and any modifications thereof, in the creation of an IEEE Standards publication; to copyright in the IEEE's name any IEEE Standards publication even though it may include portions of this contribution; and at the IEEE's sole discretion to permit others to reproduce in whole or in part the resulting IEEE Standards publication. The contributor also acknowledges and accepts that this contribution may be made public by IEEE 802.16.	
Patent Policy and Procedures	The contributor is familiar with the IEEE 802.16 Patent Policy and Procedures < http://ieee802.org/16/ipr/patents/policy.html >, including the statement "IEEE standards may include the known use of patent(s), including patent applications, provided the IEEE receives assurance from the patent holder or applicant with respect to patents essential for compliance with both mandatory and optional portions of the standard." Early disclosure to the Working Group of patent information that might be relevant to the standard is essential to reduce the possibility for delays in the development process and increase the likelihood that the draft publication will be approved for publication. Please notify the Chair < mailto:chair@wirelessman.org > as early as possible, in written or electronic form, if patented technology (or technology under patent application) might be incorporated into a draft standard being developed within the IEEE 802.16 Working Group. The Chair will disclose this notification via the IEEE 802.16 web site < http://ieee802.org/16/ipr/patents/notices >.	

HO Overview Section Cleanup 6

Phillip Barber

Broadband Mobile Technologies

Problem:

As currently defined, mechanics for hand-over are incomplete or poorly defined. Elements are out of order.

Remedy:

Revise hand-over process overview to more logical format and increase language clarity.

Remedy 1:

HO Cancellation previously relocated to 1.4.1.2.2.6. Move and consolidate content from **1.4.1.2.4.1 Synchronize with downlink and obtain parameters** and **1.4.1.2.4.2 Obtain uplink parameters**.

[Replace 1.4.1.2.2.3 HO cancellation/rejection, page 12, lines 20-29, editor will make appropriate allocation of numbering (??) for subsection:]

6.4.??3 Target BS Scanning

MSS shall scan Target BS for downlink channel & synchronization and uplink channel & synchronization. If MSS had previously decoded a MOB_BEADV message including Target BS ID, Physical Frequency, DCD and UCD, then the scanning and synchronization process may be shortened. If the Target BS had previously received HO notification from Serving BS over the backbone (see section Backbone network HO procedures), then Target BS may place a non-contention based Fast_UL_ranging_IE() (see 8.2.1.5.5.3.3 Fast ranging (Paging) Information Element, 8.3.6.3.4 Fast ranging (Paging) Information Element, and 8.4.5.3.5 & 8.4.5.3.6 Fast ranging (Paging) Information Element) MSS Initial Ranging opportunity in the UL-MAP. MSS shall scan Target BS for UL-MAP that includes either a contention or non-contention based MSS Initial Ranging opportunity.

Remedy 2:

Delete relocated section. HO Cancellation previously relocated to 1.4.1.2.2.6. Move and consolidate content from **1.4.1.2.4.1 Synchronize with downlink and obtain parameters** and **1.4.1.2.4.2 Obtain uplink parameters**.

[Delete 1.4.1.2.4.1 Synchronize with downlink and obtain parameters, page 13, lines 1-6:]

1.4.1.2.4.1 Synchronize with downlink and obtain parameters

~~For MSS that have used their scanning interval to synchronize with Target BS and have decoded the MOB_NBR_ADV message in the Serving BS, this stage should be immediate. In other situations this procedure defaults to the one specified for initial network entry.~~

Remedy 3:

Delete relocated section. HO Cancellation previously relocated to 1.4.1.2.2.6. Move and consolidate content from **1.4.1.2.4.1 Synchronize with downlink and obtain parameters** and **1.4.1.2.4.2 Obtain uplink parameters**.

[Delete 1.4.1.2.4.2 Obtain uplink parameters, page 13, lines 8-12:]

~~1.4.1.2.4.2 Obtain uplink parameters~~

~~For MSS's that have decoded the MOB_NBR-ADV message, this stage should be immediate. In other situations this procedure defaults to the one specified for initial network entry.~~