Project	IEEE 802.16 Broadband Wireless Access Working Group <a href="http://ieee802.org/16">http://ieee802.org/16</a> >	
Title	Proposed SDD text to Support Group Messages	
Date Submitted	2008-07-16	
Source(s)	Robert Novak, Nortel Networks Mo-Han Fong, Nortel Networks Sean McBeath, Huawei Technologies Xiaoyi Wang, Nokia Siemens Networks Rath Vannithamby, Intel Corporation Kevin Power, Chris Williams, Fujitsu	oice: mail: ovak@nortel.com fong@nortel.com cbeath@huawei.com oyi.wang@nsn.com h.vannithamby@intel.com vin.power@uk.fujitsu.com
	*<	http://standards.ieee.org/faqs/affiliationFAQ.html>
Re:	IEEE 802.16m-08/024: Call for Contributions on Project 802.16m System Description Document (SDD), Target topic: "SDD Text".	
Abstract	This contribution suggests the use of group messages for efficiently supporting VoIP traffic.	
Purpose	Discussion and approval by TGm for the 802.16m SDD	
Notice	This document does not represent the agreed views of the IEEE 802.16 Working Group or any of its subgroups. It represents only the views of the participants listed in the "Source(s)" field above. It is offered as a basis for discussion. It is not binding on the contributor(s), who reserve(s) the right to add, amend or withdraw material contained herein.	
Release	The contributor grants a free, irrevocable license to the IEEE to incorporate material contained in this contribution, and any modifications thereof, in the creation of an IEEE Standards publication; to copyright in the IEEE's name any IEEE Standards publication even though it may include portions of this contribution; and at the IEEE's sole discretion to permit others to reproduce in whole or in part the resulting IEEE Standards publication. The contributor also acknowledges and accepts that this contribution may be made public by IEEE 802.16.	
Patent Policy	The contributor is familiar with the IEEE-SA Patent Policy and Procedures: <a href="http://standards.ieee.org/guides/bylaws/sect6-7.html#6">http://standards.ieee.org/guides/bylaws/sect6-7.html#6</a> and <a href="http://standards.ieee.org/guides/opman/sect6.html#6.3">http://standards.ieee.org/guides/opman/sect6.html#6.3</a> .  Further information is located at <a href="http://standards.ieee.org/board/pat/pat-material.html">http://standards.ieee.org/board/pat/pat-material.html</a> and <a href="http://standards.ieee.org/board/pat-">http://standards.ieee.org/board/pat-material.html</a> and <a href="http://standards.ieee.org/board/pat-">http://standards.ieee.org/board/pat-material.html</a> and	

## **Proposed SDD text to Support Group Messages**

Robert Novak, Mo-Han Fong, Nortel Networks Sean McBeath, Huawei Technologies Xiaoyi Wang, Nokia Siemens Networks Rath Vannithamby, Intel Corporation Kevin Power, Chris Williams, Fujitsu

## Introduction

Efficient signaling for VoIP presents several challenges due to the periodic nature of VoIP traffic, the potentially large number of VoIP users in the system, variable number of re-transmissions due to HARQ early termination, and the alternation between active and inactive speech. Group signaling provides an efficient mechanism for addressing these challenges. In group signaling, a group is associated with a set of resources, and a group message (a multi-cast message) is used to allocate resources to one or multiple mobile stations of the group.

## **Text Changes**

[Add the following text to 11.6.2.3.1.2 (User-specific control information), page 43, line 20]

A group message is used to allocate resources and/or configure resources to one or multiple mobile stations within a user group. Each group is associated with a set of resources. VoIP is an example of the subclass of services that use group messages.