P802.3bq

Submitter Email: david law@ieee.org

Type of Project: Modify Existing Approved PAR

PAR Request Date: 10-Jan-2015

PAR Approval Date: PAR Expiration Date:

Status: Unapproved PAR, Modification to a Previously Approved PAR for an Amendment

Root PAR: P802.3bq Approved on: 10-May-2013

1.1 Project Number: P802.3bq **1.2 Type of Document:** Standard

1.3 Life Cycle: Full Use

2.1 Title: Standard for Ethernet Amendment: Physical Layer and Management Parameters for 40 Gb/s Operation, Type 40GBASE-T

Changes in title: IEEE Standard for Ethernet Amendment: Physical Layer and Management Parameters for 40 Gb/s Operation, Type 40GBASE-T

3.1 Working Group: Ethernet Working Group (C/LM/WG802.3)

Contact Information for Working Group Chair

Name: David Law

Email Address: david law@ieee.org

Phone: +44 1631 563729

Contact Information for Working Group Vice-Chair

Name: Adam Healey

Email Address: adam.healey@avagotech.com

Phone: 6107123508

3.2 Sponsoring Society and Committee: IEEE Computer Society/LAN/MAN Standards Committee (C/LM)

Contact Information for Sponsor Chair

Name: Paul Nikolich

Email Address: p.nikolich@ieee.org

Phone: 857.205.0050

Contact Information for Standards Representative

Name: James Gilb

Email Address: gilb@ieee.org

Phone: 858-229-4822

4.1 Type of Ballot: Individual

- 4.2 Expected Date of submission of draft to the IEEE-SA for Initial Sponsor Ballot: 08/2015
- 4.3 Projected Completion Date for Submittal to RevCom: 02/2016

5.1 Approximate number of people expected to be actively involved in the development of this project: 40

5.2.a. Scope of the complete standard: This standard defines Ethernet local area, access and metropolitan area networks. Ethernet is specified at selected speeds of operation; and uses a common media access control (MAC) specification and management information base (MIB). The Carrier Sense Multiple Access with Collision Detection (CSMA/CD) MAC protocol specifies shared medium (half duplex) operation, as well as full duplex operation. Speed specific Media Independent Interfaces (MIIs) provide an architectural and optional implementation interface to selected Physical Layer entities (PHY). The Physical Layer encodes frames for transmission and decodes received frames with the modulation specified for the speed of operation,

transmission medium and supported link length. Other specified capabilities include: control and management protocols, and the provision of power over selected twisted pair PHY types.

25 Gb/s and

5.2.b. Scope of the project: Specify a Physical Layers(PHY) for operation at 40 Gb/s on balanced twisted-pair copper cabling, using existing Media Access Control, and with extensions to the appropriate physical layer management parameters.

- 5.3 Is the completion of this standard dependent upon the completion of another standard: No
- **5.4 Purpose:** This document will not include a purpose clause.
- 5.5 Need for the Project: With continued growth of server capabilities, network and Internet traffic, datacenters continue to require higher

25 Gb/s and 40 Gb/s Operation, types 25GBASE-T and 40GBASE-T

25 Gb/s or

data rates for equipment interconnections. The IEEE 802.3 BASE-T family of technologies allows for seamless upgrade between older rates and newer rates. Currently, IEEE Std 802.3 does not support 40 Gb/s BASE-T operation. There is a market need for a low cost 40 Gb/s BASE-T solution with auto-negotiation capability for datacenter applications. solutions

25 Gb/s and

5.6 Stakeholders for the Standard: Stakeholders identified to date includes but are not limited to: users and producers of systems and components for servers, network storage, networking systems and data centers.

Intellectual Property

6.1.a. Is the Sponsor aware of any copyright permissions needed for this project?: No

6.1.b. Is the Sponsor aware of possible registration activity related to this project?: No

7.1 Are there other standards or projects with a similar scope?: No

7.2 Joint Development

Is it the intent to develop this document jointly with another organization?: No

8.1 Additional Explanatory Notes (Item Number and Explanation):