IEEE P802.3bu Power over Data Lines 3rd Task Force review comments

C/ 104 SC 104.1 P 13 L 19 # 21 C/ 104 SC 104.2 P 15 L 34 # 23 Dwelley, David Linear Technology Dwelley, David Linear Technology Comment Type Comment Status D Comment Status D Comment Type e) A data layer protocol to classify devices based on their power needs. "The maximum DC loop resistance of the link segment shall be less than 6.5ohms." SCCP isn't officially in the data layer of the OSI stack "maximum" and "less than" are redundant SuggestedRemedy SuggestedRemedy Combine with the above line: Remove "maximum": d) Physical layer protocols allowing the detection of a device that requests power from a "The DC loop resistance of the link segment shall be less than 6.5ohms." PSE and classification of the device based on its power needs. Proposed Response Response Status W Proposed Response Response Status W PROPOSED ACCEPT. EZ. PROPOSED ACCEPT, EZ. C/ 104 SC 104.2 P 15 L 46 # 37 C/ 104 SC 104.1.3 P 14 L 12 # 22 Linear Technology Gardner. Andrew Dwelley, David Linear Technology Comment Type Comment Status D Comment Type Ε Comment Status D There is an extra period at the end of foot note 2. "Figure 104–1—1-Pair PoDL power sourcing equipment (PSE) relationship to the physical SuggestedRemedy interface circuitry and the IEEE 802.3 Ethernet" The word "model" was deleted from the end of the Figure title (also Figure 104.-2) Proposed Response Response Status W SuggestedRemedy PROPOSED ACCEPT, EZ. Add "model" to the end of the figure titles: C/ 104 SC 104.2 P 16 L 2 # 25 "Figure 104–1—1-Pair PoDL power sourcing equipment (PSE) relationship to the physical Dwelley, David Linear Technology interface circuitry and the IEEE 802.3 Ethernet model" Comment Type Ε Comment Status X "Figure 104-2—1-Pair PoDL powered device (PD) relationship to the physical interface cir-Extra period at the end of note 2.. cuitry (PHY) and the IEEE 802.3 Ethernet model" SuggestedRemedy Proposed Response Response Status W Remove extra period PROPOSED ACCEPT, EZ.

Proposed Response

See comment 37. EZ.

Response Status W

IEEE P802.3bu Power over Data Lines 3rd Task Force review comments

P 23 C/ 104 SC 104.3.6.7 L 7 # 29 C/ 104 SC 104.5.1 P 30 L 22 # 35 Dwelley, David Linear Technology Dwellev. David Linear Technology Comment Type Comment Status D Comment Type Comment Status D Т This concept has been confusing in PoE: "Any equipment that can be connected to a PD through a non-MDI connector that is not isolated from the MDI leads needs to provide isolation between all accessible external conductors, including frame ground (if any), and the non-MDI connector." "Pclass is the minimum continuous class power defined in Table 104.1." SuggestedRemedy "needs to" isn't correct IEEE language Change to: SuggestedRemedy "Pclass is the minimum continuous class power that the PSE shall be capable of Change "needs to" to "must" supplying, defined in Table 104.1." Proposed Response Response Status W Proposed Response Response Status W PROPOSED ACCEPT, EZ. PROPOSED ACCEPT. EZ. C/ 104 SC 104.6 P 30 L 51 # 55 C/ 104 SC 104.4.4 P 26 L 13 # 32 Gardner, Andrew Linear Technology Dwelley, David Linear Technology Comment Status D Comment Type Ε Comment Type Ε Comment Status D There is a space missing between 'The' and 'PSE' at the beginning of the first paragraph in "The detection signature is a constant voltage per Table 104-4 when measured by the sub-clause 104.6. PSF." SuggestedRemedy Add the space. "is" is the wrong word SuggestedRemedy Proposed Response Response Status W Replace "is" with "consists of": PROPOSED ACCEPT. EZ. "The detection signature consists of a constant voltage per Table 104-4 when measured C/ 104 SC 104.6.3.2 P 33 L 37 # 36 by the PSE." Dwelley, David Linear Technology Proposed Response Response Status W Comment Type Comment Status D Ε PROPOSED ACCEPT, EZ. Extra quote marks around defined terms SC 104.4.7 C/ 104 P 29 L 49 # 54 SuggestedRemedy Linear Technology Gardner, Andrew Remove quotes from "Write 1" and "Write 0". Check for similar quotes elsewhere in this section. Comment Type E Comment Status D Proposed Response Response Status W There appear to be extra carriage returns in sub-clause 104.4.7 on lines 49 and 50. PROPOSED ACCEPT, EZ. SuggestedRemedy

Response Status W

Proposed Response

PROPOSED ACCEPT, EZ.

IEEE P802.3bu Power over Data Lines 3rd Task Force review comments

C/ 104 SC figure 104-10 P 34 L 1 # 56

Gardner, Andrew Linear Technology

Comment Type ER Comment Status D

Some of the labels in Figure 104-10 appears to be missing.

SuggestedRemedy

Restore the missing labels in Figure 104-10.

Proposed Response Status W

PROPOSED ACCEPT. EZ.

C/ 104 SC figure 104-6 P 25 L 1 # 47

Gardner, Andrew Linear Technology

Comment Type T Comment Status D

States in the PD state machine diagram should have unique names to differentiate them from the PSE state machine diagram.

SuggestedRemedy

Rename the sleep state to PD_sleep.

Proposed Response Status W

PROPOSED ACCEPT. EZ.