IEEE P802.3ct D2.2 100 Gb/s over DWDM systems 2nd Working Group recirculation ballot comments

1 SC 1.4.160a P23 L15 # 2	C/ 45 SC 45.2.1.133e P33 L19 # 4		
an, Adee Intel	Ran, Adee Intel		
E Comment Status R TP2 and TP3 are undefined terms that make this definition meaningless out of its context. A methodology should not be bound by such specific names.	Comment Type E Comment Status R It is odd that a bit name in the "Rx optical channel control register" starts with "Tx".		
In addition, the endpoints are defined for measurement purposes at the end of patch cords, and may not exist in any link. The transmission is between PHYs.	SuggestedRemedy Change "Tx Rx" to "Rx Tx", in Table 45.102o and in 45.2.1.133e.1 Response Response Status C		
<i>iggestedRemedy</i> Change "between TP2 and TP3" to "between two PHYs".	REJECT.		
esponse Response Status C	This comment was WITHDRAWN by the commenter.		
REJECT.	C/ 45 SC 45.2.1.133e.2 P33 L39 # 5		
This comment was WITHDRAWN by the commenter.	Ran, Adee Intel		
45 SC 45.2.1.133a.1 P 29 L 30 # 3	Comment Type E Comment Status R "supported" is not the right word for the meaning of an index number. Descriptions of othe registers use "correspond" which is more appropriate.		
omment Type E Comment Status R "supported" is not the right word for the meaning of an index number. Descriptions of other registers use "correspond" which is more appropriate.	SuggestedRemedy Change "indicates the optical frequencies that are supported" to "indicates the corresponding optical frequecnies".		
<i>iggestedRemedy</i> Change "indicates the optical frequencies that are supported" to "indicates the corresponding optical frequecnies".	Change "supported for each channel index number" to "corresponding to each channel index number".		
Change "supported for each channel index number" to "corresponding to each channel index number".	Response Response Status C REJECT.		
esponse Response Status C	This comment was WITHDRAWN by the commenter.		
REJECT.	C/ 45 SC 45.2.1.186ao P48 L12 # 6		
This comment was WITHDRAWN by the commenter.	Ran, Adee Intel Comment Type T Comment Status R Register name says "corrected bits" as does the variable name in 153.2.5.4 but bit names say "uncorrected codewords".		
	SuggestedRemedy		
	Change "uncorrected codewords" to "corrected bits" (4 times".		
	Response Response Status C		
	REJECT.		

Page 1 of 2 10/1/2020 8:26:12 AM

IEEE P802.3ct D2.2 100 Gb/s over DWDM systems 2nd Working Group recirculation ballot comments

C/ 153	SC 153.2.3.	2.4 <i>P</i> 84	L 22	# 1
Marris, Arthur		Cadence De	Cadence Design Systems	
Comment	Type TR	Comment Status R		
interop detail sampl standa conce	peration between to describe the l e FEC frame (or ard is perfectly re	nment 2031. IEEE 802.3ct is n equipment supplied by diffe FEC in a way to allow third pa r a reference to a publicly ava easonable. The fact that one for the 802.3 working group i	rent vendors. It sl irty compliance te ilable one) to be i cannot be provide	nould provide sufficient sting. Requiring a ncluded in the ed is a matter of
Suggested	dRemedv			
		a publicly available sample S	C-FEC frame.	
Response		Response Status U		
REJE	CT.			
comm and re	ent associated v circulated (Com //www.ieee802.o	owledges, this comment is in with a Disapprove vote that ha ment #2031 rg/3/ct/comments/D2P1/8023	as already been re	ejected, responded to,

The proposed change by the commenter suggests providing a reference to a publicly available sample of the SC-FEC frame. However, as noted in the initial response to the unsatisfied comment - "While the test vectors are known to exist for the FEC code, none are currently published in a place where they can be referenced. G.709.2, which is referenced in the draft provides significant detail on the structure of the code, the way the block interleavers work, and the permutation factor tables."

The unsatisfied comment was circulated during the first and second recirculation ballots, and no other additional comments in support of the unsatisfied comment were made.

C/ 153 SC 153.2.3.2.4