

IEEE P802.3cv D1.1 4PPoE Maintenance 2nd Task Force review comments

Cl 00 SC 0 P0 L0 # 2

Ran, Adeel Intel
 Comment Type E Comment Status A

Copyright year is 2019 in multiple places in the draft. I assume this amendment will be published in 2020 so you don't need "202x".

SuggestedRemedy

Change to 2020 everywhere, in both text and templates.

Response Response Status C

ACCEPT.

Cl 00 SC 0 P0 L0 # 1

Ran, Adeel Intel
 Comment Type E Comment Status A

Document title in PDF metadata is "IEEE P802.3xx name of Task Force", this shows up as the document name in PDF readers.

SuggestedRemedy

Change to correct TF name and draft number.

Response Response Status C

ACCEPT.

Cl 00 SC 0 P1 L1 # 36

Yseboodt, Lennart Signify
 Comment Type E Comment Status R

Many of the editing instructions deviate from the required format.

These are:

The editing instructions contained in this amendment define how to merge the material contained

therein into the existing base standard and its amendments to form the comprehensive standard.

The editing instructions are shown in bold italic. Four editing instructions are used: change, delete, insert, and replace. Change is used to make corrections in existing text or tables. The editing instruction specifies the location of the change and describes what is being changed by using strikethrough (to remove old material) and underscore (to add new material). Delete removes existing material. Insert adds new material without disturbing the existing material. Deletions and insertions may require renumbering. If so, renumbering instructions are given in the editing instruction. Replace is used to make changes in figures or equations by removing the existing figure or equation and replacing it with a new one. Editing instructions, change markings, and this NOTE will not be carried over into future editions because the changes will be incorporated into the base standard.

SuggestedRemedy

Check all editing instructions and make sure they start with any of

- Insert
- Change
- Delete
- Replace

Response Response Status C

REJECT.

Comment remedy contains insufficient detail for each specific change. Please provide complete resolution.

IEEE P802.3cv D1.1 4PPoE Maintenance 2nd Task Force review comments

CI FM SC FM P7 L4 # 37

Yseboodt, Lennart Signify

Comment Type E Comment Status A

"The following individuals were officers and members of the IEEE 802.3 Working Group at the beginning of the IEEE P802.3xx Working Group ballot."

SuggestedRemedy

Change P802.3xx to P802.3cv.

Response Response Status C

ACCEPT.

CI FM SC FM P11 L10 # 3

Ran, Adee Intel

Comment Type E Comment Status R

Order of unpublished amendments may change. The number should be added when they are published.

SuggestedRemedy

Delete "Amendment X--" for all unpublished amendments.

Response Response Status C

REJECT.

Order of this came from the 802.3 Chief Editor. It will be updated as documents ratify. Deleting this text leaves a hole that has to be filled later and may get missed if deleted.

CI FM SC FM P11 L27 # 4

Ran, Adee Intel

Comment Type E Comment Status A

802.3ck is not listed in the amendment list. Not knowing whether cv will be published before ck, it may be wise to have these projects refer to each other.

SuggestedRemedy

Add a paragraph for 802.3ck based on D1.0:

IEEE Std 802.3ck™-20xx
This amendment includes changes to IEEE Std 802.3-2018 and adds Clause 161 through Clause 163, Annex 120F, Annex 120G, and Annex 162A through Annex 162D. This amendment includes Physical Layer specifications and management parameters for 100 Gb/s, 200 Gb/s, and 400 Gb/s electrical interfaces based on 100 Gb/s signaling

Response Response Status C

ACCEPT IN PRINCIPLE.

The suggestion will be forwarded to the 802.3 Chief Editor

CI FM SC FM P13 L # 5

Ran, Adee Intel

Comment Type E Comment Status A

In all amendment documents there is an internal title page following the table of contents that lists the meaning of editing instructions (per style manual 18.2). See page 20 of 802.3bt-2018.

This page is missing here.

SuggestedRemedy

Add internal title page based on the one in 802.3bt.

Response Response Status C

ACCEPT.

IEEE P802.3cv D1.1 4PPoE Maintenance 2nd Task Force review comments

Cl 33 SC 33.6.3.4 P17 L36 # 7

Ran, Adeo Intel
 Comment Type T Comment Status A

In the definition of PSEAllocatedPowerValue, "Integer that indicates the PSE allocated power value in the PSE." should not be deleted (based on previous definitions).

SuggestedRemedy
 Remove the strikethrough from this sentence.

Response Response Status C
 ACCEPT.

Cl 33 SC 33.6.3.4 P18 L4 # 6

Ran, Adeo Intel
 Comment Type T Comment Status A

The sentence "The new max power value that the PSE expects the PD to draw. " is deleted here - but it should be retained.

The second sentence "Actual power numbers are... where X is the decimal value of PSE_NEW_VALUE" should be deleted, as in the previous paragraphs.

Similarly in the next paragraph - "The new max power value that the PD wants to draw" should be retained, and the next sentence should be deleted.

SuggestedRemedy
 Format these 2 paragraphs per comment.

Response Response Status C
 ACCEPT IN PRINCIPLE.
 OBE 49, 50

Cl 33 SC 33.6.3.4 P18 L4 # 49

Yseboodt, Lennart Signify
 Comment Type T Comment Status A

There is a mistake in the changes to PSE_NEW_VALUE, the wrong sentence is removed. // means crossed out \\
 __ means underline __

SuggestedRemedy
 Line 3 through 7 needs to become:

PSE_NEW_VALUE:

The new max__imum__ power value that the PSE expects the PD to draw. // Actual power numbers are represented using an integer value that is encoded according to Equation (79-2), where X is the decimal value of PSE_NEW_VALUE. \\
 __ Power numbers are represented using an integer value in units of 0.1 W. __

Response Response Status C
 ACCEPT.

Cl 33 SC 33.6.3.4 P18 L11 # 50

Yseboodt, Lennart Signify
 Comment Type T Comment Status A

There is a mistake in the changes to PD_NEW_VALUE, the wrong sentence is removed. // means crossed out \\
 __ means underline __

SuggestedRemedy
 PD_NEW_VALUE:
 The new max__imum__ power value that the PD wants to draw. // Actual power numbers are represented using an integer value that is encoded according to Equation (79-1), where X is the decimal value of PD_NEW_VALUE. \\
 __ Power numbers are represented using an integer value in units of 0.1 W. __

Response Response Status C
 ACCEPT.

IEEE P802.3cv D1.1 4PPoE Maintenance 2nd Task Force review comments

Cl 79 SC 79.3.2 P19 L3 # 38

Yseboodt, Lennart Signify
 Comment Type E Comment Status A

Editing instruction: "Change the last paragraph of 79.3.2 as follows:"

This paragraph is modified by 802.3bt.

SuggestedRemedy

Change editing instruction to "Change the last paragraph of 79.3.2, as modified by IEEE Std 802.3bt, as follows:"

Response Response Status C

ACCEPT IN PRINCIPLE.

Change editing instruction to "Change the last paragraph of 79.3.2, as modified by IEEE Std 802.3bt-2018, as follows:"

Cl 79 SC 79.3.2 P19 L6 # 8

Ran, Adee Intel
 Comment Type E Comment Status A

The paragraph that is shown here as deleted does not exist in the base document - it was added in 802.3bt. IT should be noted to help readers understand what's going on.

SuggestedRemedy

In the editorial instruction, change "79.3.2" to "79.3.2 (As amended by 802.3bt-2018)".

Response Response Status C

ACCEPT IN PRINCIPLE.

OBE by 38

Cl 79 SC 79.3.2 P19 L16 # 9

Ran, Adee Intel
 Comment Type E Comment Status A

There are 3 instances of "Figure 79-3" that are not cross-references. I assume they refer to the figure that was added in 802.3bt. If it is not modified by this amendment, the references should be in external Xref format (forest green).

SuggestedRemedy

Format these 3 instances as External Xref (forest green).

Response Response Status C

ACCEPT.

Cl 79 SC 79.3.2 P19 L23 # 39

Yseboodt, Lennart Signify
 Comment Type E Comment Status A

1. The note on page 19, line 23 is not formatted as a note, and is also not underlined (it is new text).
2. There is no editing instruction to insert a new Table.
3. The Table number is not right, I suspect it needs to be 79-1a.
4. The paragraph on lines 43-47 is new and needs to be underlined.
5. The note does not end with a period.

SuggestedRemedy

Resolutions are obvious per comment.

Response Response Status C

ACCEPT IN PRINCIPLE.

Change editing instruction to: "Delete last paragraph of 79.3.2 as inserted by IEEE Std 802.3bt-2018."

after deleted paragraph, add editing instruction: "Insert the following text after the last paragraph of 79.3.2:"

makes changes from comment as necessary:

1. The note on page 19, line 23 is not formatted as a note, and is also not underlined (it is new text).
2. There is no editing instruction to insert a new Table.
3. The Table number is not right, I suspect it needs to be 79-1a.
4. The paragraph on lines 43-47 is new and needs to be underlined.
5. The note does not end with a period.

IEEE P802.3cv D1.1 4PPoE Maintenance 2nd Task Force review comments

Cl 79 SC 79.3.2 P19 L 23 # 11

Ran, Adeo Intel
 Comment Type E Comment Status A

The paragraph starting with "Note: some implications"...

1. is new, so should be underlined.
2. is a note, so per the style manual (16.1) should start with "NOTE—" (using em dash).
3. should be terminated by a period

The paragraph below the table is also new and should be underlined. It also looks like a NOTE.

SuggestedRemedy

Change per comment. There may be a paragraph style for NOTE in FrameMaker.

Response Response Status C

ACCEPT IN PRINCIPLE.

OBE by 39

Cl 79 SC 79.3.2 P19 L 26 # 40

Yseboodt, Lennart Signify
 Comment Type E Comment Status A

There is no reference to Table 79-2 (==>79-1a).

SuggestedRemedy

Add the following sentence at the end of the note on line 27:
 "Table 79-1a lists the recommended Power via MDI TLV formats for each permutation of power entity Types."

Response Response Status C

ACCEPT.

Cl 79 SC 79.3.2 P19 L 29 # 10

Ran, Adeo Intel
 Comment Type T Comment Status A

This table is labeled 79-2, but the base document already has "Table 79-2—IEEE 802.3 auto-negotiation support/status".

SuggestedRemedy

Re-label this table as 79-2a (a future revision project will renumber all tables sequentially).

Response Response Status C

ACCEPT IN PRINCIPLE.

OBE by 39

Cl 79 SC 79.3.2 P19 L 31 # 41

Yseboodt, Lennart Signify
 Comment Type E Comment Status A

In Table 79-2 (soon to be 79-1a), we list "Type 1-2" and "Type 3-4". This use of the "-" symbol violates the style guide.

SuggestedRemedy

Change to "Type 1, Type 2" and "Type 3, Type 4".

Response Response Status C

ACCEPT.

Cl 79 SC 79.3.2 P19 L 43 # 12

Ran, Adeo Intel
 Comment Type E Comment Status R

According to the style manual (10.2.2): "The word can is used for statements of possibility and capability, whether material, physical, or causal (can equals is able to)"; and "The word may is used to indicate a course of action permissible within the limits of the standard (may equals is permitted to)"

This paragraph describes two permissible ways of determining the partner type, so it should use "may".

SuggestedRemedy

Change "can" to "may", twice.

Response Response Status C

REJECT.

These are statements of possibility and capability. "Can" is the proper word.

Cl 145 SC 145.2.5.1 P22 L 15 # 13

Ran, Adeo Intel
 Comment Type T Comment Status R

"shall not apply a voltage greater than V_Off to the PI for at least T_dbo" is ambiguous - it can be understood as if it is permitted to apply a higher voltage for a shorter period.

SuggestedRemedy

Change to "shall apply a voltage lower than V_off to the PI for at least T_dbo".

Response Response Status C

REJECT.

The suggested remedy imposes new requirements. The CRG disagrees that the text is ambiguous and it states exactly the desired behavior.

IEEE P802.3cv D1.1 4PPoE Maintenance 2nd Task Force review comments

Cl 145 SC 145.2.5.1 P22 L16 # 14

Ran, Adeel Intel
 Comment Type E Comment Status A
 V_off and T_dbo should be formatted with subscripts.

SuggestedRemedy
 Format per comment.

Response Response Status C
 ACCEPT.

Cl 145 SC 145.2.5.1 P22 L22 # 15

Ran, Adeel Intel
 Comment Type E Comment Status A
 All table references in this paragraph are not newly inserted, so should not be underlined (just use forest green for external references).

SuggestedRemedy
 Format per comment.

Response Response Status C
 ACCEPT.

Cl 145 SC 145.2.5.3 P22 L27 # 16

Ran, Adeel Intel
 Comment Type E Comment Status A
 "Modify" is not a recognized editorial instruction. It should be "Change".

This appears in many other similar instructions.

SuggestedRemedy
 Change "modify" to "change" in all editorial instructions that include it across the draft.

Response Response Status C
 ACCEPT.

Cl 145 SC 145.2.5.4 P22 L40 # 17

Ran, Adeel Intel
 Comment Type E Comment Status A
 "Add" is not a recognized editorial instruction. It should be "Insert".

This appears in many other similar instructions.

Also, unlike "change", text inserted using "Insert" should not be underlined.

SuggestedRemedy
 Change "add" to "insert" in all editorial instructions that include it across the draft. Format the text following these instructions with underline off, as necessary.

Response Response Status C
 ACCEPT IN PRINCIPLE.

OBE by 42

Cl 145 SC 145.2.5.4 P22 L43 # 42

Yseboodt, Lennart Signify
 Comment Type E Comment Status A
 Editing instructions "Add variable xyz..." should say "Insert variable xyz at <some place>." If "Insert" is used, it isn't needed to underline text.

SuggestedRemedy
 Change "Add variable" to "Insert variable" and remove underline for ac_measurement_completed, pd_autoclass_canceled, pse_ready_pri, pse_ready_sec.

Response Response Status C
 ACCEPT IN PRINCIPLE.

Change "Add variable" to "Insert variable" and remove underline for ac_measurement_completed, pd_autoclass_canceled, pse_ready_pri, pse_ready_sec.

Editor given license to search document for other instances and correct.

IEEE P802.3cv D1.1 4PPoE Maintenance 2nd Task Force review comments

CI 145 SC 145.2.5.4 P23 L6 # 18

Ran, Adeel Intel
 Comment Type T Comment Status R

The variable mapping is listed in Table 145-38, it is not "assigned through" the table.

Since this table just maps aLldpXdot3RemAutoclassRequest to MirroredPDAutoclassRequest, as stated in the previous sentence, the phrase "and assigned through Table 145-38" seems to be redundant.

SuggestedRemedy

Delete "and assigned through Table 145-38".

Response Response Status C

REJECT.

no consensus for change

CI 145 SC 145.2.5.4 P23 L8 # 43

Yseboodt, Lennart Signify
 Comment Type E Comment Status A

The variable is named "pd_autoclass_canceled", the descriptive sentence below uses "... whether the PD cancelled Autoclass ...".

Both spellings are correct. There are 9 instances in 802.3 of "cancelled" and zero of "canceled".

SuggestedRemedy

Change "pd_autoclass_canceled" to "pd_autoclass_cancelled".

Response Response Status C

ACCEPT.

CI 145 SC 145.2.5.4 P23 L19 # 51

Yseboodt, Lennart Signify
 Comment Type T Comment Status A

New variables pse_ready_pri and _sec mention the "primary link segment" and "secondary link segment".
 There is no such thing.

SuggestedRemedy

Replace "primary link segment" ==> "Primary Alternative"
 Replace "secondary link segment" ==> "Secondary Alternative"

Response Response Status C

ACCEPT.

CI 145 SC 145.2.5.6 P23 L36 # 19

Ran, Adeel Intel
 Comment Type E Comment Status A

The editorial instruction refers to do_cxn_chk, but the text is changing another variable do_autoclass_measure; and the existing text (from 802.3bt) is not shown.

Also, it looks like a variable is defined within the function definition.

SuggestedRemedy

Separate to two editorial instructions:

1. "Change definition of do_autoclass_measure
 This function measures PAutoclass as defined in 145.2.8.2. This function returns the variable P_Autoclass."

Move the P_Autoclass variable definition from here to 145.2.5.4.

2. "Change definition of do_cxn_chk..."

Response Response Status C

ACCEPT IN PRINCIPLE.

Autoclass is not a variable, it is a return parameter and therefore located properly in the document. Rejecting remedy part 1.

change: "Modify do_cxn_chk..."
 to: "Change definition of do_cxn_chk..."

CI 145 SC 145.2.5.6 P23 L39 # 44

Yseboodt, Lennart Signify
 Comment Type E Comment Status A

The new do_autoclass_measure function return a variable "P_Autoclass" on line 39, but the the state diagram uses "Pautoclass".

SuggestedRemedy

Harmonize to Pautoclass.

Response Response Status C

ACCEPT IN PRINCIPLE.

Harmonize to Pautoclass, where 'autoclass' is subscript.

IEEE P802.3cv D1.1 4PPoE Maintenance 2nd Task Force review comments

Cl 145 SC 145.2.5.6 P23 L43 # 20

Ran, Adeel Intel
 Comment Type E Comment Status A

In 145.2.7 "connection check" is not capitlized.

SuggestedRemedy

change "Connection" to "connection".

Response Response Status C

ACCEPT.

Cl 145 SC 145.2.5.7 P24 L2 # 22

Ran, Adeel Intel
 Comment Type E Comment Status A

Normally figures are replaced, not modified. This one looks like a local change that is worth an exception to the rule, but it should be made clear what changes are made.

The suggested remedy assumes the figure labels are changed per another comment. If they are not, the instruction should be "Inthe the third part of Figure 145-13..." instead.

SuggestedRemedy

Add to the editorial instruction:

In the resulting Figure 145-13c, change the text inside state CLASS_EV1_LCE as follows:

Response Response Status C

ACCEPT IN PRINCIPLE.

Add to the editorial instruction:

In Figure 145-13, change the text inside state CLASS_EV1_LCE as follows:

Cl 145 SC 145.2.5.7 P24 L2 # 21

Ran, Adeel Intel
 Comment Type E Comment Status R

The editorial instruction refers to Table 145-13. In 802.3bt, there are six figures with this number (continued figure). This looks like the third one.

It would be good to have a separate label for each of the three figures, to enable better referencing by readers. (This has precedence for example in clause 36 PCS Receive state diagram, which is separated to Figure 36-7a, Figure 36-7b, and Figure 36-7c).

Another comment refers to the specific change.

SuggestedRemedy

I suggest the instruction:

Change the six parts of Figure 145-13 to create separate labels Figure 145-13a through Figure 145-13f (figures with no changes other than re-labeling are not shown).

Response Response Status C

REJECT.

You are suggesting a modification to 802.3 style. This needs taken up with 802.3. The CRG has no issue dealing with a multipage figure. No consensus for change.

Cl 145 SC 145.2.5.7 P25 L1 # 45

Yseboodt, Lennart Signify
 Comment Type E Comment Status R

Figure 145-14 (Autoclass state diagram on the PSE side) has been extensively modified. The editing instruction says "Modify Figure 145-14 as follows".

There are missing underlines in the MEASURE_ACS_DONE state.

SuggestedRemedy

Describing changes to a Figure are tricky using just underlines and strikethroughs. When new states are added, I think it is much better to say "Replace Figure 145-14 as follows" and not have underlines/change instructions in there. This is much easier and not ambiguous when the time comes to merge this into a new base standard.

Change editing instruction to "Replace" and remove underlines in Figure 145-14.

Response Response Status C

REJECT.

The modifications were made in underline and strikethrough to illuminate the changes. Replacing the figure forces a reader to compare the old and new figures, which could lead to missing some of the modifications. No consensus for change.

IEEE P802.3cv D1.1 4PPoE Maintenance 2nd Task Force review comments

Cl 145 SC 145.2.5.7 P25 L1 # 23

Ran, Adeel Intel
 Comment Type E Comment Status R

The change to Figure 145-14 is a major one - new state is added in addition to text changes. The figure should be replaced, not changed.

The suggested remedy describes the changes for the benefit of readers, but as this description will not affect the revision document, it may be omitted.

SuggestedRemedy

Change the editorial instruction to "Replace Figure 145-14 with the following figure, which includes additional state EVAL_ACS and changes in states IDLE_ACS and MEASURE_ACS_DONE".

Response REJECT. Response Status C

The modifications were made in underline and strikethrough to illuminate the changes. Replacing the figure forces a reader to compare the old and new figures, which could lead to missing some of the modifications. No consensus for change.

Cl 145 SC 145.2.8 P26 L42 # 24

Ran, Adeel Intel
 Comment Type E Comment Status A

It is difficult to locate the changed paragraph based on the editorial instruction.

SuggestedRemedy

Change instruction to "Change the text in the 3rd paragraph below equation 145-3 as follows:"

Response ACCEPT IN PRINCIPLE. Response Status C

Change:
 "Modify paragraph in 145.2.8 as follows:"
 to:
 "Change the tenth paragraph in 145.2.8 as follows:"

Cl 145 SC 145.2.8 P27 L1 # 25

Ran, Adeel Intel
 Comment Type E Comment Status A

Equations should be replaced, not modified, as changes can't be marked.

SuggestedRemedy

Change the instruction to "Replace Equation 145-4 with the following equation:"

Response ACCEPT. Response Status C

Cl 145 SC 145.2.8 P27 L4 # 46

Yseboodt, Lennart Signify
 Comment Type E Comment Status A

"Modify Equation 145-4 as shown:"

The change is not visible. Like with figures, maybe even more so, marking up changes in equations is nigh impossible.

SuggestedRemedy

Change editing instruction to "Replace Equation 145-4 as follows:"

Response ACCEPT IN PRINCIPLE. Response Status C

OBE by 25

IEEE P802.3cv D1.1 4PPoE Maintenance 2nd Task Force review comments

Cl 145 SC 145.2.8.1 P27 L14 # 52

Yseboodt, Lennart Signify

Comment Type T Comment Status R

"The PSE shall limit class event currents to I Class_LIM and shall limit mark event currents to I Mark_LIM."

I assume this to mean the total current. That would make sense.
What about a PSE doing classification of a dual-sig PD in parallel ? It might get close to hitting 90mA total current if both pairsets are showing class signature 4.

This requirement seems not to have considered that particular case.
I'm not sure we even want to touch this.

SuggestedRemedy

IF a fix is needed, we'll need some ugly language to describe parallel classification.

Response Response Status C

REJECT.

No specific remedy provided by commentor. No consensus for change.

Cl 145 SC 145.3.3.3.2 P27 L40 # 47

Yseboodt, Lennart Signify

Comment Type E Comment Status A

Editing instruction "add" should say "Insert".

SuggestedRemedy

Per comment.

Response Response Status C

ACCEPT IN PRINCIPLE.

Change: "Add" to: "Insert"

Cl 145 SC 145.3.3.3.5 P28 L1 # 27

Ran, Adee Intel

Comment Type E Comment Status A

It seems that the only change in figure 145-25 is in the text in state DO_CLASS_EVENT_AUTO.

If this is correct, it should be noted in the editorial instruction. If there are other changes, please list them in addition.

Consider replacing the figure if there are changes in anything other than text.

SuggestedRemedy

Change the editorial instruction to "In the resulting Figure 145-25a, change the text inside state DO_CLASS_EVENT_AUTO as follows:"

Response Response Status C

ACCEPT IN PRINCIPLE.

Small changes to large diagrams are hard to find with a figure replacement. The CRG has decided to highlight the changes with modification instructions for ease of balloting. The figures will be replaced with the 'clean' version for the first recirculation of SA Ballot.

Editor granted license to add this note to the draft. No other changes result from this comment.

Cl 145 SC 145.3.3.3.5 P28 L1 # 26

Ran, Adee Intel

Comment Type E Comment Status R

In figure 145-25, as noted in another comment, it would be good to use separate labels for the two parts.

Another comment refers to the specific change.

SuggestedRemedy

I suggest the instruction:

Change the two parts of Figure 145-25 to create separate labels Figure 145-25a and Figure 145-13b (figures with no changes other than re-labeling are not shown).

Response Response Status C

REJECT.

You are suggesting a modification to 802.3 style. This needs taken up with 802.3. The CRG has no issue dealing with a multipage figure. No consensus for change.

IEEE P802.3cv D1.1 4PPoE Maintenance 2nd Task Force review comments

Cl 145 SC 145.3.3.3.5 P29 L1 # 28

Ran, Adeel Intel
 Comment Type E Comment Status A

Is there any change in the second part of the figure? If not, including it will likely confuse many readers.

SuggestedRemedy

List the changes in the editorial instruction, or omit the second figure.

Response Response Status C

ACCEPT IN PRINCIPLE.

Editor to confirm no changes to figure on page 29. Delete if no changes. If changes, add change bars and editing notation.

Cl 145 SC 145.3.3.3.5 P30 L1 # 29

Ran, Adeel Intel
 Comment Type E Comment Status A

The change to Figure 145-26 is a major one - new states are added. The figure should be replaced, not changed.

The suggested remedy describes the changes for the benefit of readers, but as this description will not affect the revision document, it may be omitted.

If there are additional changes they should also be listed.

SuggestedRemedy

Change the editorial instruction to "Replace Figure 145-26 with the following figure, which includes additional states CANCEL1_ACS and CANCEL2_ACS."

Response Response Status C

ACCEPT IN PRINCIPLE.

Editor to add underline/strikethrough as necessary to 145-26 (similar to 145-14).

On line 1, change: "Modify Figure 145-14..." to "Change Figure 145-14..."

Cl 145 SC 145.3.3.3.5 P31 L1 # 30

Ran, Adeel Intel
 Comment Type E Comment Status A

For Figure 145-27, apply changes per other comments (re-label continued figure, indicate specific text changes in editorial instruction, use "replace" instead of "change" if there are changes other than in text)

SuggestedRemedy

Implement with editorial license.

Response Response Status C

ACCEPT IN PRINCIPLE.

Change: "Modify Figure 145-27..."
 to: "Change Figure 145-27..."

Cl 145 SC 145.3.6.2 P31 L50 # 31

Ran, Adeel Intel
 Comment Type T Comment Status A

The added text is confusing. I assume it is a description of a condition and its meaning (indication) but it can be read as if there should be some external indication.

Suggested remedy is a rephrasing assuming I understood correctly. If not, please rephrase as required.

SuggestedRemedy

Change the added text to:

If a PD draws less than Class 1 power during the period bounded by T_AUTO_PD1 and T_AUTO_PD2, the PSE should determine the power allocation by the assigned Class, instead of using the Physical Layer Autoclass procedure.

Response Response Status C

ACCEPT IN PRINCIPLE.

Replace the text:

"A PD that draws less than Class 1 power during the period bounded by TAUTO_PD1 and TAUTO_PD2 indicates to the PSE that the power allocation should be determined by the assigned Class. By doing this the PD can abort the Physical Layer Autoclass procedure."

With:

"A PD that draws less than PClass_PD (ed note: subscript 'Class_PD') max for Class 1 during the period bounded by TAUTO_PD1 and TAUTO_PD2 indicates to the PSE that the power allocation should be determined by the assigned Class. By doing this, the PD can abort the Physical Layer Autoclass procedure."

IEEE P802.3cv D1.1 4PPoE Maintenance 2nd Task Force review comments

Cl 145 SC 145.5.3.2.5 P34 L2 # 32

Ran, Adeo Intel
 Comment Type E Comment Status A

All text changes in Figure 145-41 should be listed in the editorial instruction.

SuggestedRemedy

Change the editorial instruction to
 "In Figure 145-41, change the text in state IDLE and the text in the transition from MEASURE to AUTOCLASS as follows:"

Response Response Status C

ACCEPT IN PRINCIPLE.

Change:
 "Modify Figure 145-41 to add assignment of ac_measurement_completed as follows:"
 to:
 "Change Figure 145-41 as follows:"

Cl 145 SC 145.5.3.2.5 P35 L1 # 33

Ran, Adeo Intel
 Comment Type E Comment Status A

I could not identify what has changed in Figure 145-42.

The existing text is barely readable.

SuggestedRemedy

Please list all text changes in Figure 145-42 in the editorial instruction, or change the instruction to "replace" if necessary.

Consider increasing the font size.

Response Response Status C

ACCEPT IN PRINCIPLE.

Add change bar to figure to point to the change (which is on the transition from PSE_POWER_REVIEW to UCT).

change editing instruction from:
 "Modify Figure 145-42 as shown:"
 to: "Change Figure 145-42 as shown:"

We follow the IEEE style guide for minimum font sizes. No change.

Cl 145 SC 145.5.3.3.1 P36 L8 # 48

Yseboodt, Lennart Signify
 Comment Type E Comment Status A

Changes to pd_initial_value are not indicated with underline/strikethrough.

SuggestedRemedy

Fix per comment.

Response Response Status C

ACCEPT IN PRINCIPLE.

Indicate changes to pd_initial_value with underline/strikethrough.

Fix formatting of column heading as an equation.

Cl 145 SC 145.5.3.3.1 P36 L10 # 34

Ran, Adeo Intel
 Comment Type E Comment Status A

"used in the PD state diagrams; defined in Figure 145-25" - it is one state diagram in multiple figures, not the other way around, and the semicolon is out of place.

Looking at the figure, there is no mention of pd_initial_value in it - the definition is only here, based on the variables which are defined in 145.3.3.3.2. The reference to the figure is unnecessary and confusing.

SuggestedRemedy

Change to "used in the Single-signature PD state diagram (Figure 145-25a)"

Or delete this phrase altogether.

Response Response Status C

ACCEPT IN PRINCIPLE.

Change to "used in the Single-signature PD state diagram (Figure 145-25)"

IEEE P802.3cv D1.1 4PPoE Maintenance 2nd Task Force review comments

Cl 145 SC 145.5.3.3.1 P36 L15 # 35

Ran, Adeel Intel

Comment Type E Comment Status A

The newly inserted text "** !pd_acs_cancel" should be underlined.

SuggestedRemedy

Format per comment.

Response Response Status C

ACCEPT IN PRINCIPLE.

OBE by 48