Agenda and General Information

IEEE P802.3da 10 Mb/s Single Pair Multidrop Segments Enhancement Task Force

> Chad Jones Cisco Systems, Inc. Teleconference, April 21, 2021

Agenda

- Appointment of Recording Secretary
- Welcome and Introductions
- Approve Agenda
- Approve Apr 7, 2021 Minutes
- Goals for this meeting
- Big Ticket Items
- Reflector and Web
- Ground Rules
- IEEE
 - Structure, Bylaws and Rules
 - Call for Patents
 - IEEE Standards Process
- Liaisons and Communications
- Comment resolution
- Presentations
- Timeline
- Work List review
- Motions and Closing Business
- Future Meetings

Task Force Decorum



- An officer is permitted to make an audio or slideshow recording of this meeting exclusively for the purpose of generating minutes which shall not be copied or distributed. IEEE 802.3 meetings do not use this option. Recording of the proceedings by any other participant or observer, in part or in whole, via any means, is prohibited. (January 2020 IEEE-SA Standards Board Ops Manual 5.3.3.2)
- Press (i.e., anyone reporting publicly on this meeting) are to announce their presence (January 2020 IEEE-SA Standards Board Ops Manual 5.3.3.3)
- The conference tool in use for this meeting has a chat function. Public, and in some cases private chats, are available to the teleconference host after the meeting, and should be treated as a public statement that could appear in the minutes. The public chat function shall only be used for official business related to the meeting, as determined by the Chair.
- Cell phone ringers off
- Please observe proper decorum in meetings **MUTE WHEN NOT TALKING**

IEEE P802.3da 10 Mb/s Single Pair Multidrop Segments Enhancement Task Force – Telephonic Interim

Affiliation

- If you have not edited your Webex profile to show your employer and/or affiliation, please type it in the chat window so the secretary can add to the minutes.
- If you do not announce your affiliation, you will be removed from the meeting

Goals for the meeting

• Presentations that lead to BASELINE

Big ticket items

- BASELINE TEXT
- Resolving work items

Reflector and Web

 To subscribe to the P802.3da reflector, send an email to: <u>ListServ@ieee.org</u>

with the following in the body of the message (do not include "<>"):
 subscribe stds-802-3-SPMD <yourfirstname> <yourlastname>
 end

- Send P802.3da reflector messages to: <u>stds-802-3-SPMD@listserv.ieee.org</u>
- Task Force web page URL: <u>http://www.ieee802.org/3/da/index.html</u>

Task Force Private Area

- URL: https://www.ieee802.org/3/da/private/index.html
 - Username:
 - Password:
- Write it down...
- Note The draft, and any other content, is posted for your review only, and neither the content nor access information should be copied or redistributed to others in violation of document copyrights.


Attendance

- Tutorial Material on attendance tool
 - http://ieee802.org/3/minutes/attendance_procedures.pdf
- Access details
 - URL: http://imat.ieee.org/
 - Password:

Ground Rules

- Based upon IEEE 802.3 Rules
 - Foundation based upon Robert's Rules of Order
 - Anyone in the room may speak
 - Anyone in the room may vote
- **RESPECT**... give it, get it
- NO product pitches
- NO corporate pitches
- NO prices!!!
 - This includes costs, ASPs, etc. no matter what the currency
- NO restrictive notices

IEEE Structure



Version 3.8

IEEE P802.3da 10 Mb/s Single Pair Multidrop Segments Enhancement Task Force – Telephonic Interim

Important Bylaws and Rules

- IEEE-SA Operations Manual
 <u>http://standards.ieee.org/develop/policies/sa_opman/</u>
- IEEE-SA Standards Board Bylaws
 <u>http://standards.ieee.org/develop/policies/bylaws/</u>
- IEEE-SA Standards Board Operations Manual
 <u>http://standards.ieee.org/develop/policies/opman/</u>
- IEEE 802 LAN/MAN Standards Committee (LMSC) Policies and Procedures
 https://ieee.app.box.com/v/PandP-LMSC
- IEEE 802 LAN/MAN Standards Committee (LMSC) Operations Manual http://www.ieee802.org/devdocs.shtml
- IEEE 802 LAN/MAN Standards Committee (LMSC) Working Group (WG) Policies and Procedures

http://www.ieee802.org/devdocs.shtml

IEEE 802.3 Working Group Operating Rules

http://ieee802.org/3/rules/P802_3_rules.pdf

Version 3.8

Participants have a duty to inform the IEEE

- Participants <u>shall</u> inform the IEEE (or cause the IEEE to be informed) of the identity of each holder of any potential Essential Patent Claims of which they are personally aware if the claims are owned or controlled by the participant or the entity the participant is from, employed by, or otherwise represents
- Participants <u>should</u> inform the IEEE (or cause the IEEE to be informed) of the identity of any other holders of potential Essential Patent Claims

Early identification of holders of potential Essential Patent Claims is encouraged



Ways to inform IEEE

- Cause an LOA to be submitted to the IEEE-SA (<u>patcom@ieee.org</u>); or
- Provide the chair of this group with the identity of the holder(s) of any and all such claims as soon as possible; or
- Speak up now and respond to this Call for Potentially Essential Patents

If anyone in this meeting is personally aware of the holder of any patent claims that are potentially essential to implementation of the proposed standard(s) under consideration by this group and that are not already the subject of an Accepted Letter of Assurance, please respond at this time by providing relevant information to the WG Chair



Other guidelines for IEEE WG meetings

- All IEEE-SA standards meetings shall be conducted in compliance with all applicable laws, including antitrust and competition laws.
 - Don't discuss the interpretation, validity, or essentiality of patents/patent claims.
 - Don't discuss specific license rates, terms, or conditions.
 - Relative costs of different technical approaches that include relative costs of patent licensing terms may be discussed in standards development meetings.
 - Technical considerations remain the primary focus
 - Don't discuss or engage in the fixing of product prices, allocation of customers, or division of sales markets.
 - Don't discuss the status or substance of ongoing or threatened litigation.
 - Don't be silent if inappropriate topics are discussed ... do formally object.

For more details, see IEEE-SA Standards Board Operations Manual, clause 5.3.10 and Antitrust and Competition Policy: What You Need to Know at http://standards.ieee.org/develop/policies/antitrust.pdf



Slide #3

02 January 2018

Patent-related information

The patent policy and the procedures used to execute that policy are documented in the:

- IEEE-SA Standards Board Bylaws
 (http://standards.ieee.org/develop/policies/bylaws/sect6-7.html#6)
- IEEE-SA Standards Board Operations Manual (http://standards.ieee.org/develop/policies/opman/sect6.html#6.3)

Material about the patent policy is available at http://standards.ieee.org/about/sasb/patcom/materials.html

If you have questions, contact the IEEE-SA Standards Board Patent Committee Administrator at <u>patcom@ieee.org</u>




IEEE SA COPYRIGHT POLICY

By participating in this activity, you agree to comply with the IEEE Code of Ethics, all applicable laws, and all IEEE policies and procedures including, but not limited to, the IEEE SA Copyright Policy.

- Previously Published material (copyright assertion indicated) shall not be presented/submitted to the Working Group nor incorporated into a Working Group draft unless permission is granted.
- Prior to presentation or submission, you shall notify the Working Group Chair of previously Published material and should assist the Chair in obtaining copyright permission acceptable to IEEE SA.
- For material that is not previously Published, IEEE is automatically granted a license to use any material that is presented or submitted.











Participant behavior in IEEE-SA activities is guided by the IEEE Codes of Ethics & Conduct

- All participants in IEEE-SA activities are expected to adhere to the core principles underlying the:
 - IEEE Code of Ethics
 - IEEE Code of Conduct
- The core principles of the IEEE Codes of Ethics & Conduct are to:
 - Uphold the highest standards of integrity, responsible behavior, and ethical and professional conduct
 - Treat people fairly and with respect, to not engage in harassment, discrimination, or retaliation, and to protect people's privacy.
 - Avoid injuring others, their property, reputation, or employment by false or malicious action
- The most recent versions of these Codes are available at http://www.ieee.org/about/corporate/governance

Participants in the IEEE-SA "*individual process*" shall act independently of others, including employers


- The <u>IEEE-SA Standards Board Bylaws</u> require that "participants in the IEEE standards development individual process shall act based on their qualifications and experience"
- This means participants:
 - Shall act & vote based on their personal & independent opinions derived from their expertise, knowledge, and qualifications
 - Shall not act or vote based on any obligation to or any direction from any other person or organization, including an employer or client, regardless of any external commitments, agreements, contracts, or orders
 - Shall not direct the actions or votes of other participants or retaliate against other participants for fulfilling their responsibility to act & vote based on their personal & independently developed opinions
- By participating in standards activities using the "*individual process*", you are deemed to accept these requirements; if you are unable to satisfy these requirements then you shall immediately cease any participation

Approved by SASB in June 2019

IEEE-SA standards activities shall allow the fair & equitable consideration of all viewpoints

- The <u>IEEE-SA Standards Board Bylaws</u> (clause 5.2.1.3) specifies that "the standards development process shall not be dominated by any single interest category, individual, or organization"
 - This means no participant may exercise "authority, leadership, or influence by reason of superior leverage, strength, or representation to the exclusion of fair and equitable consideration of other viewpoints" or "to hinder the progress of the standards development activity"
- This rule applies equally to those participating in a standards development project and to that project's leadership group
- Any person who reasonably suspects that dominance is occurring in a standards development project is encouraged to bring the issue to the attention of the Standards Committee or the project's IEEE-SA Program Manager

Overview of IEEE 802.3 Standards Process (1/5)-Study Group Phase




Note: At "Check Point", either the activity is ended, or there may be various options that would allow reconsideration of the approval.

IEEE P802.3da 10 Mb/s Single Pair Multidrop Segments Enhancement Task Force – Telephonic Interim


Page 22

Overview of IEEE 802.3 Standards Process (2/5) – Task Force Comment Phase



Page 23


Overview of IEEE 802.3 Standards Process (3/5) – Working Group Ballot Phase



Version 3.8

IEEE P802.3da 10 Mb/s Single Pair Multidrop Segments Enhancement Task Force – Telephonic Interim


Overview of IEEE 802.3 Standards Process (4/5)-IEEE Standards Association (SA) Ballot Phase



Version 3.8

IEEE P802.3da 10 Mb/s Single Pair Multidrop Segments Enhancement Task Force – Telephonic Interim

Overview of IEEE 802.3 Standards Process (5/5) – Final Approvals / Standard Release



IEEE P802.3da 10 Mb/s Single Pair Multidrop Segments Enhancement Approved Project Documents

- PAR
 - http://www.ieee802.org/3/da/P802d3da_PAR.pdf
- 5 Criteria
 - <u>https://mentor.ieee.org/802-ec/dcn/20/ec-20-0096-00-ACSD-</u> p802-3da.pdf
- Objectives
 - http://www.ieee802.org/3/da/802d3da_objectives.pdf

IEEE P802.3da 10 Mb/s Single Pair Multidrop Segments Enhancement Objectives

- Define performance characteristics of a mixing segment for 10Mb/s multidrop single balanced pair networks supporting up to at least 16 nodes, for up to at least 50m reach.
- 2. Maintain a bit error ratio (BER) at the MAC/PLS service interface of less than or equal to 10⁻¹⁰ on the new mixing segment.
- 3. Specify an optional PLCA node ID allocation method
- 4. Support interoperability with Clause 147 multidrop
- 5. Support optional Time Synchronization Service Interface (TSSI)
- 6. Select a single MDI connector

IEEE P802.3da 10 Mb/s Single Pair Multidrop Segments Enhancement Objectives

- 7. Specify improvements for Energy Efficient Ethernet compared to current 10Mb/s multidrop single balanced pair networks
- 8. Support operation in the noise environments for building, industrial, and transportation applications
- 9. Specify optional plug-and-play power distribution over the mixing segment
- 10.PSE shall only energize the mixing segment when at least one PD is connected
- 11.Support addition and removal of a node or set of nodes to a continuously operating powered mixing segment

Presentations

Title	Presenter
Trunk Connection	DiMinico, et al.
Consensus Model Sims	Paul

Work Items

Pwr Data Area Description Submitter Owners Target Date X X Power, Mixing Segment Topology, allow Y connections? spur/stub length (segment or channel spec)? Chad J Bob Voss, Peter Jones May 5 Peter Jones X X MD1 + stub connection (inductance, capacitance, resistance) George Z Chris Diminico May 5 X X MD1 + stub connection (inductance, capacitance, resistance) George Z Chris Diminico May 19 X X MD in stub power & Coupling Network definition Task Force Chris Diminico May 19 X Power power specifications (IL, RL mode conversion, etc.), MDI specs (tighter than CG?) George Z Michael Paul Tere 24 X Mixing Segment specifications (IL, RL mode conversion, etc.), MDI specs (tighter than CG?) Chad J Michael Paul Jun 2 X PHY enhancements specifications (IL, RL mode conversion, etc.), FEC) George Z George Z <th></th> <th colspan="6"></th>							
Segment France of the structure Peter Jones Peter Jones Peter Jones Peter Jones Peter Jones Peter Jones May 5 X X MDI + stub connection (inductance, capacitance, resistance) Ge orge Z Chris Diminico May 5 X Power Coupling Network definition Task Force Chris Diminico May 5 X Power power specifications (max & min voltages / power levels / max currents / loop resistances) and what regulations set these limits George Z Michael Paul Peter Jones X Power power specifications (max & min voltages / power levels / max currents / loop resistances) and what regulations set these limits George Z Michael Paul Peter Jones X Mixing Segment specifications (IL, RL, mode conversion, etc.), MDI speces (tighter than CG?) George Z Michael Paul Jun 2 X PHY Reach extension / validation, interacts with mixing segment spec (dependent) George Z No OWNEF May 19 X PHY Backwards compatible noise immunity (e.g., FEC) George Z Jaon Potter / Huszak Jun 2 X </td <td></td> <td>Data</td> <td>Area</td> <td>Description</td> <td>Submitter</td> <td></td> <td></td>		Data	Area	Description	Submitter		
Segment Peter Jones X MDI + stub connection (inductance, capacitance, resistance) George Z Chris Diminico May 5 X MOI + stub Coupling Network definition Task Force Chris Diminico May 5 X Power Coupling Network definition George Z Chris Diminico May 19 X Power power specifications (max & min voltages / power levels / max currents / loop resistances) and what regulations set these limits George Z Michael Paul Feb 24 X Mixing Segment specifications (IL, RL, mode conversion, etc.), MDI specs (tighter than CG?) George Z Chris Diminico May 19 X Power Startup Sequence (standby power, startup power) Chad J Michael Paul Jun 2 X PHY enhancements Backwards compatible noise immunity (e.g., FEC) George Z George Z George Z X Control layer LLDP infrastructure George Z George Z Jason Potterf X Control layer EEE signaling George Z George Z George Z George Z George Z Geor	X	Х	Power, Mixing	Topology, allow Y connections? spur/stub length (segment or channel spec)?		Bob Voss,	May 5
X MDI + stub connection (inductance, capacitance, resistance) George Z Chris Diminico May 5 X Power Coupling Network definition Task Force Chris Diminico May 5 X X Power & Data Hot insertion, removal and ramifications Geoff T ?, Jason May 19 X X Power & Data Hot insertion, removal and ramifications Geoff T ?, Jason Potterf May 19 X Power power specifications (IL, RL, mode conversion, etc.), MDI specs (tighter than CG?) George Z Michael Paul Jun 2 X Power Statup Sequence (standby power, startup power) Chad J Michael Paul Jun 2 X PHY Reach extension / validation, interacts with mixing segment spec (dependent) George Z George Z George Jul 24 x PHY Backwards compatible noise immunity (e.g., FEC) George Z George Z Jusch Jul 24 X Control layer LLDP infrastructure George Z <					۱۱		
X Power Coupling Network definition Task Force Chris Diminico May 5 X X Power & Data Hot insertion, removal and ramifications Geoff T ?, Jason May 19 X Power power & Data Mot insertion, removal and ramifications Geoff T ?, Jason May 19 X Power power specifications (max & min voltages / power levels / max currents / loop resistances) and what regulations set these limits George Z Michael Paul Jes 24 X Mixing Segment specifications (IL, RL, mode conversion, etc.), MDI specs (tighter than CG?) George Z Chris Diminico May 19 X Power Startup Sequence (standby power, startup power) Chad J Michael Paul Jun 2 X PHY Reach extension / validation, interacts with mixing segment spec (dependent) George Z George Z George Jun 16 way 19 achnaccements enhancements George Z Jun 30 Zimmerman Jun 30 X Control layer LLDP infrastructure </td <td>Х</td> <td>Х</td> <td></td> <td>connection (inductance, capacitance, resistance)</td> <td>George Z</td> <td>Chris Diminico</td> <td>May 5</td>	Х	Х		connection (inductance, capacitance, resistance)	George Z	Chris Diminico	May 5
X Power power specifications (IL, RL, mode conversion, etc.), MDI specs (tighter than CG?) Power George Z Michael Paul Period Paul X Mixing Segment specifications (IL, RL, mode conversion, etc.), MDI specs (tighter than CG?) Chad J Michael Paul Jun 2 X Power Startup Sequence (standby power, startup power) Chad J Michael Paul Jun 2 X PHY enhancements Reach extension / validation, interacts with mixing segment spec (dependent) George Z No OWNER May 19 X PHY enhancements Backwards compatible noise immunity (e.g., FEC) George Z Jun 2 X Control layer LLDP infrastructure George Z Jason Potterf, Peter Jones Jun 2 X PHY enhancements EEE signaling George Z Jason Potterf, Peter Jones Jun 2 X V PHY enhancements Sleep/standby/EEE? George Z George Z George Z Jun 30 X V PHY enhancements Failure modes and preferred behavior Matthias W George Z	X		Power			Chris Diminico	May 5
X Power power specifications (max & min voltages / power levels / max currents / loop resistances) and what regulations set these limits George Z Michael Paul Feb 24 X Mixing Segment specifications (IL, RL, mode conversion, etc.), MDI specs (tighter than CG?) George Z Chris Diminico May 5 X Power Startup Sequence (standby power, startup power) Chad J Michael Paul Jun 2 X PHY enhancements Reach extension / validation, interacts with mixing segment spec (dependent) George Z George Z George Z George Z Michael Paul Jun 2 X PHY enhancements Backwards compatible noise immunity (e.g., FEC) George Z George Z George Z Jun 16 Huszak X Control layer LLDP infrastructure George Z George Z George Z Jun 2 X Control layer EEE signaling George Z George Z George Z George Z George Z Jun 30 X PHY enhancements Sleep/standby/EEE? Sleep/standby/EEE? George Z George Z George Z George Z George Z George Z Jun 30 X Nixing Segment F	X	Х	Power & Data				May 19
X Mixing Segment specifications (IL, RL, mode conversion, etc.), MDI specs (tighter than CG?) George Z Chris Diminico May 5 X Power Startup Sequence (standby power, startup power) Chad J Michael Paul Jun 2 X PHY enhancements Reach extension / validation, interacts with mixing segment spec (dependent) George Z NO OWNER May 19 X PHY enhancements Backwards compatible noise immunity (e.g., FEC) George Z George Z Jun 16 X Control layer LLDP infrastructure George Z Jan 2 X Control layer EEE signaling George Z George Z Jan 2 X PHY enhancements Sleep/standby/EEE? George Z George Z George Z Jan 2 X Control layer EEE signaling George Z George Z Jan 30 X PHY enhancements Sleep/standby/EEE? George Z George Z George Z George Z X PHY enhancements Failure modes and preferred behavior Matthias W George Z Zimmerman			Demor				
X Power Startup Sequence (standby power, startup power) Chad J Michael Paul Jun 2 X PHY enhancements Reach extension / validation, interacts with mixing segment spec (dependent) George Z NO OWNER May 19 X PHY enhancements Backwards compatible noise immunity (e.g., FEC) George Z George Z George Z Jun 16 X Control layer LLDP infrastructure George Z Jason Potterf, Peter Jones Jun 20 X Control layer EEE signaling George Z Jason Potterf, Peter Jones Jun 30 X X PHY enhancements Sleep/standby/EEE? George Z George Z Jun 30 X Mixing Segment Failure modes and preferred behavior Matthias W Gergely Luszak, George Jun 30	X						
X PHY enhancements Reach extension / validation, interacts with mixing segment spec (dependent) George Z NO OWNER May 19 X PHY enhancements Backwards compatible noise immunity (e.g., FEC) George Z George Z Gergely Huszak Jun 16 X Control layer LLDP infrastructure George Z Jason Potterf, Peter Jones Jun 2 X Control layer EEE signaling George Z George Z George Z Jun 30 X Y PHY enhancements Sleep/standby/EEE? George Z George Z George Z Jun 30 X X PHY enhancements Failure modes and preferred behavior Matthias W George Z George Z Jun 30 X Mixing Segment Failure modes and preferred behavior Matthias W George Z George Z Jun 30		Х	<u> </u>		<u> </u>		
enhancements enhancements George Z Gergely Huszak Jun 16 X PHY enhancements LLDP infrastructure George Z Jason Potterf, Peter Jones Jun 2 X Control layer EEE signaling George Z George Z George Z Jun 30 X X PHY enhancements Sleep/standby/EEE? George Z George Z George Z George Z Jun 30 X X PHY enhancements Sleep/standby/EEE? George Z George Z George Z George Z George Z George Z Jun 30 X X PHY enhancements Failure modes and preferred behavior Matthias W Gergely Huszak, George Zimmerman George Zimmerman Zimmerman	X						
X PHY enhancements Backwards compatible noise immunity (e.g., FEC) George Z George Z Gergely Huszak Jun 16 X Control layer LLDP infrastructure George Z Jason Potterf, Peter Jones Jun 20 X Control layer EEE signaling George Z George Z George Z Jun 30 X PHY enhancements Sleep/standby/EEE? George Z George Z George Z Jun 30 X Mixing Segment Failure modes and preferred behavior Matthias W George Z George Z George Z X Mixing Segment Failure modes and preferred behavior Matthias W George Z George Z George Z X Mixing Segment Failure modes and preferred behavior Matthias W George Z Jun 30		X		Reach extension / validation, interacts with mixing segment spec (dependent)	George Z	NO OWNER	May 19
Image: second					·	·	·
X Control layer LLDP infrastructure George Z Jason Potterf, Peter Jones Jun 2 X Control layer EEE signaling George Z George Z Jun 30 X X PHY enhancements Sleep/standby/EEE? George Z George Z Jun 30 X X Mixing Segment Failure modes and preferred behavior Matthias W Gergely Huszak, George Zimmerman Jun 30		X		Backwards compatible noise immunity (e.g., FEC)	George Z		Jun 16
X Control layer EEE signaling Peter Jones X Control layer EEE signaling George Z George Z Jun 30 X X PHY enhancements Sleep/standby/EEE? George Z George Z Jun 30 X X Mixing Segment Failure modes and preferred behavior Matthias W Gergely Huszak, George Zimmerman Huszak, George Zimmerman	$ \rightarrow$				0.000		
Image: Second		X	Control layer	LLDP Intrastructure		· · ·	Jun 2
X X PHY enhancements Sleep/standby/EEE? George Z immerman George Z immerman George Z immerman Jun 30 X Mixing Segment Failure modes and preferred behavior Matthias W Gergely Huszak, George Zimmerman Huszak, George Zimmerman George Zimmerman		Х	Control layer	EEE signaling	George Z	George	Jun 30
enhancements Zimmerman X Mixing Segment Failure modes and preferred behavior Matthias W Gergely U V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V <							·
X Mixing Segment Failure modes and preferred behavior Huszak, George Zimmerman	X	X		Sleep/standby/EEE?		v	' Jun 30 🛛 🕸
Huszak, George Zimmerman							'
George Zimmerman		X	Mixing Segment	Failure modes and preferred behavior	Matthias W		۱ I
Zimmerman					l h		·
					i li		·
General Definitions section None Needed							·
			General	Definitions section	Peter Jones	None Needed	'

IEEE P802.3da 10 Mb/s Single Pair Multidrop Segments Enhancement Timeline, Proposed V3

year	month	output	event
2021	jan	D0.2	
	mar		
	may	D0.3	
	jul	D0.4	
	sep	D1.0	TF review
	nov	D1.1	
2022	jan	D1.2	
	mar	D1.3	WG ballot
	may	D2.0	
	jul	D2.1	
	sep	D2.2	
	nov	D2.3	SA Ballot
2023	jan	D3.0	
	mar	D3.1	
	may	D3.2	
	jul-sep		STD

Future Meetings

- See: <u>http://www.ieee802.org/3/interims/index.html</u>
- Interim series meetings
 - Every other Wednesday
 - 5/5
- May 2021 Interim
 - Teleconference, May 17 27, 2021
 - Meet the Wednesday of both weeks (5/19, 5/26)
- June 2 will start the next bi-weekly series: 6/2, 6/16, 6/30, 7/14, 7/28, 8/11, 8/25, 9/8, 9/22, 10/6, 10/20, 11/3, 11/17, 12/1, 12/15
- Anyone interested in hosting an interim meeting contact me or the IEEE 802.3 Executive Secretary <u>Steve Carlson</u>.

802.3 Call and Meeting Calendar: http://www.ieee802.org/3/calendar.html

Thank You!

IEEE P802.3da 10 Mb/s Single Pair Multidrop Segments Enhancement Task Force – Telephonic Interim