# 802.3db Editors' Report and Comment Agenda

Earl Parsons, CommScope Ramana Murty, Broadcom Inc.

IEEE P802.3db 100 Gb/s, 200 Gb/s, and 400 Gb/s Short Reach Fiber Task Force
TF Interim Teleconference, July 29, 2021

### **Editorial Team**

- Earl Parsons, CommScope, Co-editor
  - earl.parsons@commscope.com
- Ramana Murty, Broadcom, Co-editor
  - ramana.murty@broadcom.com

#### D1.1 Task Force Review

- Draft 1.1 opened for comments 2021 Jun 14
- Draft 1.1 closed for comments 2021 Jun 25
- Total 74 comments from 8 individuals.
- Thanks to all who submitted comments
- Comments received posted 2021 Jun 30.
- Proposed responses posted on 2021 Jul 16, and updated Jul 28.
- Comment resolution on 2021 Jul 1 and Jul 19
   Topics: Receiver sensitivity, Center wavelength

## Topics

Receiver sensitivity
Center wavelength for VR
TDECQ for VR
Reference equalizer for VR
TDECQ other
Reference equalizer other
Link budget
Overshoot
MDI
General

Bucket

34 comments in bucket. Highlighted comments resolved.

10, 45, 46, 47, 48, 56
2, 13 [lewis], 15, 65, 70
14, 16, 63, 67
64 [ghiasi], 71
3, 4, 11 [tang], 44, 72 [ghiasi]
5, 6, 7, 60
17, 57
66
74
1, 12, 22, 32, 33, 35, 36, 39, 40, 43

8, 9, 18, 19, 20, 21, 23, 24, 25, 26, 27, 28, 29, 30, 31, 34, 37, 38, 41, 42, 49, 50, 51, 52, 53, 54, 55, 58, 59, 61, 62, 68, 69, 73

# Center Wavelength Range

Define four bands for the purpose of TDECQ test:

- A) 842 868 nm
  - 868 888 nm
  - 888 918 nm
  - 918 948 nm
- B) 842 868 nm
  - 842 888 nm
  - 842 918 nm
  - 842 948 nm

## Meeting Goals Today

☐ Today review comments related to

Reference equalizer for VR

TDECQ calculation

Max TDECQ for VR

Link budget, TDECQ, others

64 [ghiasi], 71

72 [ghiasi], 4

14, 16, 63, 67

11 [tang], 17, 57, 1, 40, 43

☐ Presentations associated with comments will be reviewed during comment resolution

☐ T and TR will be treated with the same status; no signoff required

☐ E and ER will be treated with the same status; no signoff required