



IEEE 802.3 Higher Speed Study Group

Discussions

Knoxville, TN
September 2006

John D'Ambrosia
jdambrosia@force10networks.com



Issues

- Can we talk?
 - Continuing education (MAC, IEEE Optical Model)
 - Terminology definition
- Project Planning
 - Setting Objectives
 - 1 or more PAR?
 - Setting a Schedule (SG Phase, Resolve # of PAR)
- Objectives
 - “The Easy Ones”?
 - Rate?
 - Reach?
 - Media?
 - Specify MII Interface?
 - BER?
- The “critters”

Straw Poll #1

- At the November Plenary, I will be attending:
 - A. IEEE 802.3av
 - B. IEEE 802.3 HSSG
 - C. Both

A. 22

B. 48

C:14

Straw Poll #2

- I plan on attending the January Interim:
- Yes - 53

Straw Poll #3

- Support the following as objectives:
 - Support full-duplex operation only.
 - Preserve the 802.3/Ethernet frame format at the MAC Client service interface.
 - Preserve minimum and maximum FrameSize of current 802.3 Std.

- Yes - 46
- No - 0

Straw Poll #4

- The HSSG should adopt as an objective:
 - A. One MAC Data Rate > 10 Gb/s
 - B. Multiple MAC Data Rates > 10 Gb/s
 - C. No opinion at this time

A. 25

B.11

C.16

Straw Poll #5

- Should this group pursue Physical Layer Aggregation ?
- Yes - 37
- No – 1
- Abstain - 11

Additional Straw Polls

- Straw Polls 6 through 8 recorded in minutes.

“Reach” Ad hoc

- Charter:

- Research reach / media (fiber / copper cabling) for applications (examples- HPC, Data Center, Metro, others)
- Report findings to SG.

- Chair: Andy Moorwood