IEEE 802.3 Maintenance Task Force 17 March 2021

Adam Healey, Broadcom Inc. Chair, IEEE 802.3 Maintenance TF Vice Chair, IEEE 802.3 Ethernet WG

Voting at electronic meetings

• IEEE 802.3 Operations Manual 3.4.2

There are two type of votes in the TF; votes on motions and votes in straw polls.

In face-to-face meetings where a TF is operating with membership rules for voting (see 3.3) only the TF members may make and vote on motions. In face-to-face meetings where membership rules are not in force all TF participants may make and vote on motions, subject only to the provision that they believe that they are qualified to vote on the matter before the TF. Electronic meetings shall only consider motions to progress a draft and only when balloting is substantially complete.* Electronic meetings that will consider motions shall be approved by the WG Chair prior to the meeting announcement. In such meetings only IEEE 802.3 Working Group members may make and vote on motions. If a motion is not approved by unanimous consent it shall be taken as a roll call vote.

In all cases, regardless of any membership rules that may or may not be in force, all participants who feel qualified may participate in a straw poll.

* Rule suspension [3] per IEEE 802.3 WG 10-day electronic ballot (closed 10 May 2020).

Decorum

Please MUTE if you are not speaking

- An officer is permitted to make an audio or slideshow recording of this meeting exclusively for the purpose of generating minutes which shall not be copied or distributed. IEEE 802.3 meetings do not use this option. Recording of the proceedings by any other participant or observer, in part or in whole, via any means, is prohibited.
 (January 2020 IEEE-SA Standards Board Ops Manual 5.3.3.2)
- Press (i.e., anyone reporting publicly on this meeting) are to announce their presence (January 2020 IEEE-SA Standards Board Ops Manual 5.3.3.3)
- The conference tool in use for this meeting has a chat function. Public, and in some cases
 private chats, are available to the teleconference host after the meeting, and should be
 treated as a public statement that could appear in the minutes. The public chat function shall
 only be used for official business related to the meeting, as determined by the Chair. Parallel
 discussions between participants using the public chat function can be a distraction from the
 meeting and the Chair or designee will ask participants to cease such discussions should
 they occur.
- Please observe proper decorum in meetings

Agenda

- Review and approve agenda
- Approve minutes
- Guidelines for IEEE-SA Meetings
- IEEE-SA Copyright policy
- Participation in IEEE 802 Meetings
- Attendance procedures
- Standards to ISO/IEC JTC 1/SC 6 for adoption
- Revision plan update
- Consider open maintenance requests
- Inconsistent expansion of PHY
- Future meetings

Agenda and minutes motions

- Motion #1: Approve the agenda
 - M: M. Hajduczenia S: S. Carlson
 - Procedural (> 50%)
 - Approved by unanimous consent
- January 2021 minutes were posted 19 January 2021
- Motion #2: Approve the <u>January 2021</u> minutes
 - M: J. Lewis S: S. Trowbridge
 - Procedural (> 50%)
 - Approved by unanimous consent

Instructions for the WG Chair

The IEEE-SA strongly recommends that at each WG meeting the chair or a designee:

- Show slides #1 through #4 of this presentation
- Advise the WG attendees that:
 - IEEE's patent policy is described in Clause 6 of the IEEE-SA Standards Board Bylaws;
 - Early identification of patent claims which may be essential for the use of standards under development is strongly encouraged;
 - There may be Essential Patent Claims of which IEEE is not aware. Additionally, neither IEEE, the WG, nor the WG Chair can ensure the accuracy or completeness of any assurance or whether any such assurance is, in fact, of a Patent Claim that is essential for the use of the standard under development.
- Instruct the WG Secretary to record in the minutes of the relevant WG meeting:
 - That the foregoing information was provided and that slides 1 through 4 (and this slide 0, if applicable) were shown;
 - That the chair or designee provided an opportunity for participants to identify patent claim(s)/patent application claim(s) and/or the holder of patent claim(s)/patent application claim(s) of which the participant is personally aware and that may be essential for the use of that standard
 - Any responses that were given, specifically the patent claim(s)/patent application claim(s) and/or the holder of the patent claim(s)/patent application claim(s) that were identified (if any) and by whom.
- The WG Chair shall ensure that a request is made to any identified holders of potential essential patent claim(s) to complete and submit a Letter of Assurance.
- It is recommended that the WG Chair review the guidance in *IEEE-SA Standards Board Operations Manual* 6.3.5 and in FAQs 14 and 15 on inclusion of potential Essential Patent Claims by incorporation or by reference.

Note: **WG** includes Working Groups, Task Groups, and other standards-developing committees with a PAR approved by the IEEE-SA Standards Board.



(Optional to be shown)

02 January 2018

Participants have a duty to inform the IEEE

- Participants <u>shall</u> inform the IEEE (or cause the IEEE to be informed) of the identity of each holder of any potential Essential Patent Claims of which they are personally aware if the claims are owned or controlled by the participant or the entity the participant is from, employed by, or otherwise represents
- Participants <u>should</u> inform the IEEE (or cause the IEEE to be informed) of the identity of any other holders of potential Essential Patent Claims

Early identification of holders of potential Essential Patent Claims is encouraged



Ways to inform IEEE

- Cause an LOA to be submitted to the IEEE-SA (<u>patcom@ieee.org</u>); or
- Provide the chair of this group with the identity of the holder(s) of any and all such claims as soon as possible; or

• Speak up now and respond to this Call for Potentially Essential Patents If anyone in this meeting is personally aware of the holder of any patent claims that are potentially essential to implementation of the proposed standard(s) under consideration by this group and that are not already the subject of an Accepted Letter of Assurance, please respond at this time by providing relevant information to the WG Chair



Slide #2

Other guidelines for IEEE WG meetings

- All IEEE-SA standards meetings shall be conducted in compliance with all applicable laws, including antitrust and competition laws.
 - Don't discuss the interpretation, validity, or essentiality of patents/patent claims.
 - Don't discuss specific license rates, terms, or conditions.
 - Relative costs of different technical approaches that include relative costs of patent licensing terms may be discussed in standards development meetings.
 - Technical considerations remain the primary focus
 - Don't discuss or engage in the fixing of product prices, allocation of customers, or division of sales markets.
 - Don't discuss the status or substance of ongoing or threatened litigation.
 - Don't be silent if inappropriate topics are discussed ... do formally object.

For more details, see IEEE-SA Standards Board Operations Manual, clause 5.3.10 and Antitrust and Competition Policy: What You Need to Know at http://standards.ieee.org/develop/policies/antitrust.pdf



Slide #3

02 January 2018

Patent-related information

The patent policy and the procedures used to execute that policy are documented in the:

- IEEE-SA Standards Board Bylaws
 (http://standards.ieee.org/develop/policies/bylaws/sect6-7.html#6)
- IEEE-SA Standards Board Operations Manual (http://standards.ieee.org/develop/policies/opman/sect6.html#6.3)

Material about the patent policy is available at http://standards.ieee.org/about/sasb/patcom/materials.html

If you have questions, contact the IEEE-SA Standards Board Patent Committee Administrator at <u>patcom@ieee.org</u>



INSTRUCTIONS FOR CHAIRS OF STANDARDS DEVELOPMENT ACTIVITIES

At the beginning of each standards development meeting the chair or a designee is to:

- Show the following slides (or provide them beforehand)
- Advise the standards development group participants that:
- IEEE SA's copyright policy is described in Clause 7 of the IEEE SA Standards Board Bylaws and Clause 6.1 of the IEEE SA Standards Board Operations Manual;
- Any material submitted during standards development, whether verbal, recorded, or in written form, is a Contribution and shall comply with the IEEE SA Copyright Policy;
- Instruct the Secretary to record in the minutes of the relevant meeting:
- That the foregoing information was provided and that the copyright slides were shown (or provided beforehand).





IEEE SA COPYRIGHT POLICY

By participating in this activity, you agree to comply with the IEEE Code of Ethics, all applicable laws, and all IEEE policies and procedures including, but not limited to, the IEEE SA Copyright Policy.

- Previously Published material (copyright assertion indicated) shall not be presented/submitted to the Working Group nor incorporated into a Working Group draft unless permission is granted.
- Prior to presentation or submission, you shall notify the Working Group Chair of previously Published material and should assist the Chair in obtaining copyright permission acceptable to IEEE SA.
- For material that is not previously Published, IEEE is automatically granted a license to use any material that is presented or submitted.





IEEE SA COPYRIGHT POLICY

The IEEE SA Copyright Policy is described in the IEEE SA Standards Board Bylaws and IEEE SA Standards Board Operations Manual

 IEEE SA Copyright Policy, see Clause 7 of the IEEE SA Standards Board Bylaws <u>https://standards.ieee.org/about/policies/bylaws/sect6-7.html#7</u> Clause 6.1 of the IEEE SA Standards Board Operations Manual <u>https://standards.ieee.org/about/policies/opman/sect6.html</u>

IEEE SA Copyright Permission

- https://standards.ieee.org/content/dam/ieee-standards/standards/web/documents/other/permissionltrs.zip

IEEE SA Copyright FAQs

- http://standards.ieee.org/faqs/copyrights.html/

IEEE SA Best Practices for IEEE Standards Development

- http://standards.ieee.org/develop/policies/best_practices_for_ieee_standards_development_051215.pdf

Distribution of Draft Standards (see 6.1.3 of the SASB Operations Manual)

- https://standards.ieee.org/about/policies/opman/sect6.html





Participant behavior in IEEE-SA activities is guided by the IEEE Codes of Ethics & Conduct

- All participants in IEEE-SA activities are expected to adhere to the core principles underlying the:
 - IEEE Code of Ethics
 - IEEE Code of Conduct
- The core principles of the IEEE Codes of Ethics & Conduct are to:
 - Uphold the highest standards of integrity, responsible behavior, and ethical and professional conduct
 - Treat people fairly and with respect, to not engage in harassment, discrimination, or retaliation, and to protect people's privacy.
 - Avoid injuring others, their property, reputation, or employment by false or malicious action
- The most recent versions of these Codes are available at <u>http://www.ieee.org/about/corporate/governance</u>

Approved by SASB in June 2019

Participants in the IEEE-SA "*individual process*" shall act independently of others, including employers

- The <u>IEEE-SA Standards Board Bylaws</u> require that "participants in the IEEE standards development individual process shall act based on their qualifications and experience"
- This means participants:
 - Shall act & vote based on their personal & independent opinions derived from their expertise, knowledge, and qualifications
 - Shall not act or vote based on any obligation to or any direction from any other person or organization, including an employer or client, regardless of any external commitments, agreements, contracts, or orders
 - Shall not direct the actions or votes of other participants or retaliate against other participants for fulfilling their responsibility to act & vote based on their personal & independently developed opinions
- By participating in standards activities using the "*individual process*", you are deemed to accept these requirements; if you are unable to satisfy these requirements then you shall immediately cease any participation

Approved by SASB in June 2019


IEEE-SA standards activities shall allow the fair & equitable consideration of all viewpoints

- The <u>IEEE-SA Standards Board Bylaws</u> (clause 5.2.1.3) specifies that "*the* standards development process shall not be dominated by any single interest category, individual, or organization"
 - This means no participant may exercise "authority, leadership, or influence by reason of superior leverage, strength, or representation to the exclusion of fair and equitable consideration of other viewpoints" or "to hinder the progress of the standards development activity"
- This rule applies equally to those participating in a standards development project and to that project's leadership group
- Any person who reasonably suspects that dominance is occurring in a standards development project is encouraged to bring the issue to the attention of the Standards Committee or the project's IEEE-SA Program Manager

Approved by SASB in June 2019

Attendance procedures

- IEEE Meeting Attendance Tool
 - http://imat.ieee.org/
- For more information, please see...
 - http://ieee802.org/3/minutes/attendance_procedures.pdf



Standards to ISO/IEC JTC 1/SC 6 for adoption

[Motion]

Standards to ISO/IEC motion

• Motion #3:

Submit IEEE Std 802.3cr-2021 and IEEE Std 802.3cu-2021 to ISO/IEC JTC 1/SC 6 for ratification under the PSDO agreement.

- M: S. Carlson S: M. Hajduczenia
- Technical (≥ 75%)
- Approved by unanimous consent

Revision plan update

Revision status update

- Web site: <u>https://www.ieee802.org/3/dc/index.html</u>
- Editorial team
 - Pete Anslow
 - Marek Hajduczenia
 - Jon Lewis
 - Adee Ran
 - Thanks to all volunteers!

Considerations for the revision plan

Consideration	Comments
Target a short revision timeline	 Minimize disruption to project schedules Verify correct implementation of the roll-up and ballot maintenance changes Use targeted maintenance projects for more "heavy lifting" (e.g., cq, cr, cv) Requires forbearance of the balloting group
Able to incorporate approved amendments into the revision draft prior to initial SA ballot	 Add amendment as balloted and approved It is a hardship on the editorial team (use sparingly)
SA ballot of amendments can be done in parallel with the revision	 Amendment(s) requires one additional recirculation after completion of revision SA ballot Align to final revision draft Can be placed on the same RevCom agenda as the revision draft (but prefer not to do so)

Target revision schedule

Drainat						20	21											20	22					
Project	1	2	3	4	5	6	7	8	9	10	11	12	1	2	3	4	5	6	7	8	9	10	11	12
P802.3ck			WGB						SCB?						Std?									
P802.3cp						Std!																		
P802.3cs			WGB						SCB						Std!									
P802.3ct						Std!																		
P802.3cv	SCB				Std!																			
P802.3cw					WGB						SCB							Std!						
P802.3cx							WGB				SCB							Std!						
P802.3cy																	WGB						SCB	
P802.3cz									WGB										SCB					
P802.3da													WGB								SCB			
P802.3db									WGB				SCB					Std!						
P802.3dc							WGB				SCB				Std!						Key			
																					Com sub		deadlin	e _
SASB	nr	d	d s	nr	d	nrb		d	d s	d nr		S									teleconfe teleconfe			
																					nference			
																			s S	ASB me	eting se	ries		

Proposed path to Working Group ballot

- Similar to the path followed for the 2018 revision...
- Generate roll-up of base standard and published amendments prior to the May WG interim meeting series
- May 2021: Charter editorial team to generate draft for WG preview
 - Include IEEE Std 802.3cv if appropriate
 - Incorporate maintenance requests marked "Ready for ballot"
- July 2021: Progress draft to WG ballot

Maintenance requests "Ready for ballot" (1 of 4)

No.	Standard	Clause	Date	Subject
<u>1314</u>	802.3br-2016	99.4.3	26-Jul-18	Text not consistent with state diagram
<u>1315</u>	802.3-2018	Various, see details	21-Aug-18	Incorrect reference to "IEC 60068-2-1/27/30/38/52/64/78"
<u>1316</u>	802.3-2018	66.3.3.6, 77.3.3.6	29-Aug-18	Undefined variable
<u>1317</u>	802.3-2018	77.3.3.6	29-Aug-18	Incomplete transition condition
<u>1318</u>	802.3-2018	60.9.13.2.2, 75.7.15.2	29-Aug-18	Extraneous parentheses
<u>1319</u>	802.3-2018	Various, see details	29-Aug-18	"Ensuring" vs. "reassuring"
<u>1320</u>	802.3-2018	31A	29-Aug-18	"Maximum" vs. "maximal"
<u>1321</u>	802.3-2018	56.1.2	29-Aug-18	Incorrect cross reference
<u>1323</u>	802.3-2018	22	02-Oct-18	Incorrect PICS item
<u>1324</u>	802.3-2018	45	15-Oct-18	Typo in Table 45-155
<u>1325</u>	802.3-2018	45	06-Nov-18	Incorrect description in Table 45-181
<u>1326</u>	802.3-2018	Various, see details	04-Jan-19	Update bibliographical reference
<u>1327</u>	802.3-2018	45.2.3.75	08-Jan-19	Redundant "shall"
<u>1328</u>	802.3-2018	73.8	11-Jan-19	Definition of link_control_[x]
<u>1329</u>	802.3-2018	40A.2	13-Jan-19	Incorrect cross-reference

Maintenance requests "Ready for ballot" (2 of 4)

No.	Standard	Clause	Date	Subject
<u>1331</u>	802.3-2018	Various, see details	18-Jan-19	Incorrect cross-references in PICS
<u>1333</u>	802.3-2018	80.5	28-Jan-19	Express skew in units of absolute time and UI
<u>1334</u>	802.3-2018	113.7.3.1.1	01-Feb-19	Simplify PSANEXT limit
<u>1335</u>	802.3-2018	113.7.4.3.9	01-Feb-19	Simplify PSANEXT limit
<u>1336</u>	802.3-2018	116.5	04-Feb-19	Missing cross-references
<u>1338</u>	802.3-2018	Figure 2-2	09-Feb-19	Change "PHY" to "Physical Layer".
<u>1339</u>	802.3-2018	1.5	19-Feb-19	Incorrect expansion of abbreviation
<u>1340</u>	802.3-2018	4A.3.2	14-Mar-19	Stray cross-reference tag
<u>1341</u>	802.3cd-2018	138.5.4	28-Mar-19	Typo in PHY name
<u>1343</u>	802.3-2018	97.3.6	29-Apr-19	Some messages should be variables
<u>1344</u>	802.3-2018	99.4.6	05-May-19	Incorrect primitive name
<u>1345</u>	802.3-2018	45.2.1.191.1	10-May-19	Incorrect register number
<u>1346</u>	802.3-2018	Various, see details	11-Jun-19	Number format definition
<u>1347</u>	802.3-2018	Various, see details	25-Jul-19	Incorrect units
<u>1348</u>	802.3-2018	97.3.8	15-Aug-19	In-band vs. out-of-band

Maintenance requests "Ready for ballot" (3 of 4)

No.	Standard	Clause	Date	Subject
<u>1349</u>	802.3-2018	97.3.8	29-Aug-19	Clarify OAM requirements
<u>1351</u>	802.3-2018	55.4.6.3	10-Dec-19	Incorrect cross-reference
<u>1352</u>	802.3cd-2018	45.2.111.1 ,45.2.111.2	10-Dec-19	Generalize text describing number of lanes
<u>1353</u>	802.3cd-2018	Table 69-3b	10-Dec-19	Add Clause 118 to table
<u>1354</u>	802.3cd-2018	136.8.11.7.3	11-Dec-19	Text contradicts state diagram
<u>1355</u>	802.3-2018	96.9.2.1	12-Dec-19	Incorrect reference
<u>1356</u>	802.3-2018	97.9.2.1	12-Dec-19	Incorrect reference
<u>1358</u>	802.3cb-2018	125.3	14-Jan-20	Incorrect conversion of units
<u>1361</u>	802.3-2018	1.1	09-Nov-19	Add "Word usage" subclause
<u>1362</u>	802.3-2018	44.3	09-Nov-19	Remove "informative" label from Table 44-2
<u>1363</u>	802.3cd-2018	Table 136C-3	12-May-20	Incorrect contact mapping
<u>1364</u>	802.3-2018	Figure 98-9	08-Jun-20	Incorrect variable assignment
<u>1366</u>	802.3ca-2020	142.3.5.1	21-Jul-20	End-of-burst delimiter definition
<u>1368</u>	802.3-2018	Various, see details	10-Aug-20	"Start-up" vs. "startup"
<u>1369</u>	802.3-2018	113.3.2.2.6	10-Aug-20	"Control codes" vs. "control code"

Maintenance requests "Ready for ballot" (4 of 4)

No.	Standard	Clause	Date	Subject
<u>1370</u>	802.3-2018	Various, see details	10-Aug-20	Spelling error
<u>1371</u>	802.3-2018	45.2.1.188.4	10-Aug-20	"Low-power ability" vs. "low-power feature"
<u>1374</u>	802.3-2018	104.9.4.3	10-Aug-20	Incorrect status/support in PICS
<u>1375</u>	802.3cg-2019	30.15	10-Aug-20	Incorrect subclause title
<u>1376</u>	802.3-2018	45.2.1.16	10-Aug-20	Missing ability bit descriptions
<u>1377</u>	802.3-2018	97.1.2	10-Aug-20	"Out-of-band" vs. "out of band"
<u>1378</u>	802.3-2018	Table 101-3	10-Aug-20	Incorrect values in table
<u>1379</u>	802.3ch-2020	149.3.7.2.2	13-Aug-20	Unused variable
<u>1381</u>	802.3-2018	Table 82-1	01-Oct-20	Indicate ITU-T G.8312 uses O code 0xC

Consideration of maintenance requests

Maintenance request status

- 4 new requests received since the January 2021 meeting
- 72 open maintenance requests
- Current status of open requests
 - Approved 0
 - Balloting 0
 - Ready for ballot 54
 - Awaiting clarification
 - Errata 0
 - To be categorized
- Also see <u>http://www.ieee802.org/3/maint/requests/open_num.html</u>

18

Maintenance requests to be categorized

• For consideration at this meeting

No.	Date	Standard	Clause	Subject
<u>1365</u>	13-Jul-20	802.3-2018	86.10.3.2	Figures out of order
<u>1367</u>	23-Jul-20	802.3ca-2020	141.2.6	Formula alignment
<u>1372</u>	10-Aug-20	802.3ch-2020	45.5.3.3	Incorrect PICS item
<u>1373</u>	10-Aug-20	802.3ch-2020	45.5.3.7	Incorrect PICS item
<u>1380</u>	08-Sep-20	802.3.2-2019	Various, see details	MAC address format
<u>1382</u>	19-Nov-20	802.3-2018	Various, see details	References to IEEE Std 802.1D
<u>1383</u>	19-Nov-20	802.3.1-2013	Various, see details	References to IEEE Std 802.1D
<u>1384</u>	09-Dec-20	802.3-2018	Various, see details	Isolation requirements
<u>1385</u>	09-Dec-20	802.3-2018	Various, see details	Annex 120D jitter tolerance
<u>1386</u>	12-Dec-20	802.3ca-2020	56.1.3	Incorrect table entries
<u>1387</u>	21-Dec-20	802.3cd-2018	Various, see details	Precoder control
<u>1388</u>	06-Jan-21	802.3-2018	139.3.1	Error converting pause_quantum to bit times

More maintenance requests to be categorized

Received after deadline for consideration at this meeting

No.	Date	Standard	Clause	Subject
<u>1389</u>	24-Feb-21	802.3-2018	Figure 90-1	Clarification of note
<u>1390</u>	24-Feb-21	802.3-2018	Figure 99-1	Clarification of note
<u>1391</u>	6-Mar-21	802.3cg-2019	148.4.4.2	Typos in variable definition
<u>1392</u>	8-Mar-21	802.3cg-2019	148.4.4.1	Incorrect state name

- Figure 86–7 appears after Figure 86–8 (out of order)
- The order is related to the relative size of the figures
- It is a known issue and it cannot be easily changed without adding [a large amount of?] white space in the document
- Status to remain "Received" while impact of changing order is assessed

Complete: Yes In scope: Yes Errata: No

- In 141.2.6, center the naming template "r1/r2GBASE-PQc-db"
- It was noted that this change was deliberate
- Note that it might make sense to incorporate the naming template into the preceding paragraph

"Nx25G-EPON PMD naming conforms to the following semantic convention <u>r1/r2GBASE-PQc-db</u> with individual elements shown in Table 141–6."

- Could also incorporate the template into Table 141–6
- Status to remain "Received" pending further discussion of the options

Complete: Yes In scope: Yes Errata: ?

- [Note: Request resubmitted with new proposed revision text]
- In 45.2.1.192.1, PMA/PMD reset was changed to refer to 149.4.2.1 for the time allowed for reset
- The PICS for this requirement was not updated to match
- Redundant to requirements stated in Clause 149
- Delete PICS item MM207 and replace "shall be" in associated test with "is"
- · Set status to "Ready for ballot"

Complete: Yes In scope: Yes Errata: No

- [Note: Request resubmitted with new proposed revision text]
- In 45.2.3.78.1, PCS reset was changed to refer to 149.4.2.1 for the time allowed for reset
- PICS for this requirement (RM196) was not updated to match
- Proposed revision text updates RM196 to reflect the new requirement
- However, Clause 149 has a PICS for the same requirement (PCT2)
- RM196 could be deleted if the "shall be" associated with it in 45.2.3.78.1 softened to "is"
- Request submitter to resubmit the request with new proposed revision text that removes the redundancy
 Complete

Complete: Yes In scope: Yes Errata: No

- IEEE Std 802.3.2-2019
- There are differences between YANG and IEEE 802.3 MAC address formats
- Change MAC address defined in ietf-yang-types module to ieee:mac-address defined in ieee802-types module
- Add import of ieee802-types.yang in EPON and OAM modules
- Rationale for revision updated to include additional information, including link to a <u>reference presentation</u> (as requested)
- Set status to "Ready for ballot"

- Technical aspects of IEEE Std 802.1D have been completely subsumed into IEEE Std 802.1Q
- IEEE 802.1 Working Group is planning to withdraw IEEE Std 802.1D
- Remove, replace or adjust references to IEEE Std 802.1D (or associated ISO/IEC standard)
- Request resubmitted with clarification of the proposed changes
- Set status to "Ready for ballot"

- Same topic as Maintenance request 1382 but applied to IEEE Std 802.3.1
- Set status to "Ready for ballot"

- Isolation requirements in J.1 are not applicable to backplane PHYs and specific AUIs
- Change text in backplane clauses (and AUI annexes) as follows "All equipment that meets the requirements of this standard shall conform to <u>J.2.the</u> <u>applicable requirements of Annex J.</u>"
- Set status to "Ready for ballot"

- Improve jitter tolerance test coverage for 50G/lane AUIs
- Change Table 120D–7 as shown below

Parameter	Case A	Case B	Case BC	Case <mark>CD</mark>	Case <mark>DE</mark>	Case EF	Units
Jitter frequency	0.04	<u>0.4</u>	1.333	4	12	40	MHz
Jitter amplitude (pk-pk)	5	<u>0.5</u>	0.15	0.05	0.05	0.05	UI

- Similar change to Table 120E–6
- Similar changes made in P802.3ck for new (100G/lane) PHYs/AUIs
- Set status to "Ready for ballot"

- In Table 56–1 (as amended by IEEE Std 802.3ca-2020)
- 2nd instance of 50/25GBASE-PQX-D2 should be 50/25GBASE-PQX-D3
- 2nd instance of 50/25GBASE-PQX-U2 should be 50/25GBASE-PQX-U3
- · Set status to "Ready for ballot"

- Precoder control variables are undefined when training is disabled or the PMD control function is not instantiated, e.g., a chip-to-chip interface
- Add text indicating the variables are set as required by the implementation under these conditions

Maintenance request 1387, continued

• Proposed change to 120.5.7.2

The variables of a PMD that uses the PMD control function (136.8.11), then precoder_tx_out_enable_i and precoder_rx_in_enable_i shall be set as determined by the PMD control function on lane i (see 136.8.11.7.5). The method by which the PMD control function affects these variables is implementation dependent.

If the PMA is connected to the service interface of a PMD that supports the PMD control function but training is disabled by the management variable mr_training_enable (see 136.7), or if the PMA is part of a 200GAUI-4 C2C link, then precoder_tx_out_enable_i, precoder_rx_in_enable_i, precoder_tx_in_enable_i, and precoder_rx_out_enable_i are set as required by the implementation. The method described in 135F.3.2.1 may be used for 200GAUI-4 C2C.

- Similar changes to 135.5.7.2 (50/100G AUI)
- Set the status to "Ready for ballot"

- In 139.3.1, 2 pause_quantum is incorrectly converted to 512 bit times
- Change "512 bit times" to "1024 bit times"
- · Set status to "Ready for ballot"

Inconsistent expansion of PHY

[Presentation]

Future meetings

• Future teleconference meetings will be announced to the reflector

Adjourn