

1 ANNEX-L

2 (Informative)

5 DTR Station using the TXI Access Protocol

7 Join, Transmit and Monitor Low Level FSMs

8 This annex contains the 9.2 FSMs illustrated by Figures 9.2-2 through 9.2-4, but with the level of detail
9 found in the 9.2 Station Operation Tables

- 10 • Figure L-1 contains the Join FSM with the state transition detail of 9.2, Table 9.2-1.
- 11 • Figure L-2 contains the Transmit FSM with the state transition detail of 9.2, Table 9.2-2.
- 12 • Figure L-3 contains the Monitor FSM with the state transition detail of 9.2, Table 9.2-3.

13 The rules for these FSMs are identified in 9.1.1.9.

14 → Details of the changes to annex L requested
15 by Ballot Comment KTW58. ←

16 This paper is a complete replacement for annex L in the P802.5r, Draft 6, October 1996 document.

- 17 • Figure L-1 on page L-2, the Join FSM, is missing the 9.3 State J0 (JS=BP) starting point for the
18 C-Port in Station Emulation Mode using the TXI Access Protocol.

19 This missing starting point, which is shown in figure 9.2-1 on page 9.2-2 (Station Operation Table:
20 REF 1001 on page 9.2-12) and in figure 9.3-1 on page 9.3 (Port Operation Table: REF 1001 on
21 page 9.3-14), has been added to figure L-1 as follows.



Figure L-1 - JOIN FSM




Figure L-1 Join FSM

Figure L-2 - TRANSMIT FSM




Figure L-2 Transmit FSM

annex-1

Copyright © 1996 IEEE. All rights reserved.
This is an unapproved IEEE Standards Draft, Subject to Change

L-3




Figure L-3 Monitor FSM

⇒ End of ANNEX L

Figure L-3 - MONITOR FSM

31
32

annex-1

Copyright © 1996 IEEE. All rights reserved.
This is an unapproved IEEE Standards Draft, Subject to Change

L-4